Index to Volume 75

Author index*

A

ABBOUD, FRANCOIS M. (*See* Mayer, Ballard, and Abboud), 1017

ABELOFF, MARTIN D., MANGI, RICHARD J., PRETLOW, THOMAS G., AND MARDINEY, MICHAEL R., JR. Isolation of leukemic blasts from peripheral blood by density gradient centrifugation, 703

ADATEPE, MUSTAFA. (*See* Wochner et al.), 711

ADRIAENSSENS, LIEVE. (*See* Jacobs and Adriaenssens), 1013

ALEDORT, LOUIS. (*See* Puszkin, Aledort, and Puszkin), 234

ALEXANIAN, RAYMOND, AND MIGLIORE, PHILIP J. Normal immunoglobulins in multiple myeloma: Effect of melphalan chemotherapy, 225

ALTMAN, MICHAEL. (*See* Sieger, Altman, and Robin), 721

ANASTASSIADES, T., AND DZIEWIATKOWSKI, D. The effect of cortisone on the metabolism of connective tissues in the rat, 826

ARKY, RONALD A. (*See* Wilson et al.), 264

ARMSTRONG, CAROL L. (*See* Scheuer et al.), 924

B

BADIN, JACQUES, AND BARILLEC, ANNICK. Streptolysin O inhibition by serum γG-globulin and β-lipoprotein after blocking of nonesterified cholesterol by digitonin, 975

BAGDADE, JOHN D., AND WAYS, PETER O. Erythrocyte membrane lipid composition in exogenous and endogenous hypertriglyceridemia, 53

BAKER, T. A. (*See* Chou et al.), 729

BALDINI, MARIO. (*See* Okuma, Steiner, and Baldini), 283

BALLARD, DENNIS R. (*See* Mayer, Ballard, and Abboud), 1017

BARILLEC, ANNICK. (*See* Badin and Barillec), 975

BARNETT, JACK A. (*See* Hand et al.), 19

BASSINGTHWAIGHTE, JAMES B. (*See* Richmond, Tauxe, and Bassingthwaighte), 336

—. (*See* Riggs et al.), 520

BAYARD, FRANCIS, KOWARSKI, AVINOAM, WELDON, VIRGINIA V., AND MIGEON, CLAUDE J. Appraisal of the double isotope dilution techniques for the measurement of plasma aldosterone, 347

BELL, C. ELLIOTT, JR., AND CHAPLIN, HUGH, JR. Application of a modified technique to study urinary immunoglobulin light chain and whole IgG excretion in normal human subjects and patients with immune-related disorders, 636

BENNER, R. (*See* Strumia, Strumia, and Eusebi), 244

BERK, P. D. (*See* Howe et al.), 499

BERLIN, N. I. (*See* Howe et al.), 499

BERNIER, GEORGE M. (*See* Schade et al.), 435

BERNTON, HORACE W. (*See* Heilman, Bernton, and Higgins), 488

BERSOHN, I. (*See* Spitz et al.), 998

BIENENSTOCK, JOHN, AND POORTMANS, JACQUES. Renal clearance of 15 plasma proteins in renal disease, 297

BJERKE, RANDAL. (*See* Murray, Stein, and Bjerke), 747

BLACKSTOCK, REBECCA. (*See* Johanson et al.), 946

BLACKWELL, R. QUENTIN. (*See* McCurdy et al.), 788

BLAESE, R. M. (*See* Strober, Blaese, and Waldmann), 856

BLOCH, KURT J. (*See* Eisen, Bloch, and Sakai), 258

BLOOMER, J. R. (*See* Howe et al.), 499

BLUESTONE, RODNEY. (*See* Goldberg and Bluestone), 449

BREWSTER, ALAN C. (*See* Wilson et al.), 264

BRITTIN, GEOFFREY M., AND RAVAL, DILIP. Duodenal ferritin synthesis during iron absorption in the iron-deficient rat, 811

BRODY, JEROME I. (*See* Soltys and Brody), 250, 967

BROSIOUS, EFFIE. (*See* Zucker et al.), 83

BROWN, ARNOLD L., JR. (*See* Harrison et al.), 185

BROWN, R. R. (*See* Price et al.), 316

BUCKNER, R. G. (*See* McKee et al.), 391

*January, pp. 1-174 February, pp. 175-354; March, pp. 355-534; April, pp. 535-710; May pp. 711-892; June, pp. 893-1062.

XUM

BULLOCK, WARD E., JR., HO, MIN-FU, AND CHEN, MEI-JAN. Studies of immune mechanisms in leprosy. II. Quantitative relationships of IgG, IgA, and IgM immunoglobulins, 863

BURNS, M. E. (*See* Strumia, Strumia, and Eusebi), 244

BURNS, THOMAS W., AND LANGLEY, PAUL E. Lipolysis by human adipose tissue: The role of cyclic 3′, 5′-adenosine monophosphate and adrenergic receptor sites, 983

C

CALDWELL, JAMES H., HALPIN, THOMAS C., AND GREENBERGER, NORTON J. Intestinal absorption of ^{3}H-ouabain: Demonstration of a nonsaturable transport process, 43

CANELLOS, GEORGE P. (*See* Haskell et al.), 763

CARGILLE, CHARLES M., AND RAYFORD, PHILLIP L. Characterization of antisera for human follicle-stimulating hormone radioimmunoassay, 1030

CARROLL, LESLIE A. (*See* Ross and Muller-Eberhard), 694

CARTER, J. R. (*See* Malhotra and Carter), 120

CASCO, CRISTINA. (*See* Mautalen), 11

CASTOR, C. WILLIAM. With the technical assistance of ROWE, KRISTINE, DORSTEWITZ, EMILY L., WRIGHT, DELOISTEEN, AND RITCHIE, JAMES C. Regulation of collagen and hyaluronate formation in human synovial fibroblast cultures, 798

CHANG, TSUN, AND GLAZKO, A. J. Quantitative assay of 5, 5-diphenylhydantoin (Dilantin) and 5-(*p*-hydroxphenyl)-5-phenylhydantoin by gas-liquid chromatography, 145

CHAPLIN, HUGH, JR. (*See* Bell and Chaplin), 636

CHEN, MEI-JAN. (*See* Bullock, Ho, and Chen), 863

CHEN, STUART, MAHADEVAN, V., AND ZIEVE, LESLIE. Volatile fatty acids in the breath of patients with cirrhosis of the liver, 622

—, ZIEVE, LESLIE, AND MAHADEVAN, V. Mercaptans and dimethyl sulfide in the breath of patients with cirrhosis of the liver, 628

CHEN, W. T. (*See* Chou et al.), 729

CHIAPELLA, A. P. (*See* Schrier), 422

CHIBA, YOICHI. (*See* O'Sullivan et al.), 771

CHOI, G. (*See* Gizis et al.), 673

CHOU, CHING-CHUNG, DABNEY, J. M., BAKER, T. A., CHEN, W. T., AND HADDY, FRANCIS J. Effect of potassium chloride on intestinal blood flow, 729

CLAMAN, H. N., MERRILL, D. A., PEAKMAN, D., AND ROBINSON, A. Isolated severe gamma A deficiency: Immunoglobulin levels, clinical disorders, and chromosome studies, 307

—. (*See* Genton and Claman), 619

COHNEN, GEORG. Immunochemical quantitation of β_2-glycoprotein I in various diseases, 212

COMBES, BURTON. (*See* Whelan, Hoch, and Combes), 542

CONNOLLY, DANIEL C. (*See* Harrison et al.), 185

CONRAD, MARCEL E. (*See* Schade et al.), 435

COONEY, DAVID A. (*See* Haskell et al.), 763

CORBETT, W. E. N. (*See* Olatunbosun et al.), 754

COUSSONS, R. T. (*See* McKee et al.), 391

CROWDER, JACKSON G., AND WHITE, ARTHUR. A serologic response in human Pseudomonas infection, 128

D

DABNEY, J. M. (*See* Chou et al.), 729

DALRYMPLE, DAVID E., AND UTIGER, ROBERT D. A micromethod for the determination of serum thyroxine: Studies on serum thyroxine concentrations and thyroxine binding in rat serum, 325

DAUGHADAY, WILLIAM H. Presidential Address, 6

DAY, H. JAMES. (*See* Holmsen and Day), 840

DELAND, FRANK, AND WAGNER, HENRY N., JR. Automated radiometric detection of bacterial growth in blood cultures, 529

DERN, RAYMOND J., WIORKOWSKI, JOHN J., AND MATSUDA, TAKAYOSHI. Studies on the preservation of human blood. V. The effect of mixing anticoagulated blood during storage on the poststorage erythrocyte survival, 37

DEVITA, VINCENT T. (*See* Waalkes and DeVita), 871

DIETRICH, M. F. (*See* Gizis et al.), 673

DOBRILOVIC, LJUBICA. (*See* Jones and Dobrilovic), 953

DONALDSON, ROBERT M. (*See* Levitt and Donaldson), 937

DORSTEWITZ, EMILY L. (*See* Castor), 798

DUGAN, A. (*See* Strumia, Strumia, and Eusebi), 244

DZIEWIATKOWSKI, D. (*See* Anastassiades and Dziewiatkowski), 826

E

EANES, ROBERT Z. (*See* Zucker et al.), 83

EISEN, ARTHUR Z., BLOCH, KURT J., AND SAKAI, TAKAHIRO. Inhibition of human skin collagenase by human serum, 258

ERSLEV, ALLAN J. (*See* Szilagyi and Erslev), 275

EUSEBI, ALBERT J. (*See* Strumia, Strumia, and Eusebi), 244

EVATT, BRUCE. (*See* McIntyre et al.), 472

VAN EYS, JAN. (*See* Hanes, Patterson, and van Eys), 654

F

FARQUHAR, JOHN W. (*See* Silvers et al.), 175

FELSHER, BERTRAM F. (*See* Schade et al.), 435

FOX, LAY M. (*See* Sheagren et al.), 481

FRY, BILL W., AND TAVES, DONALD R. Serum fluoride analysis with the fluoride electrode, 1020

FUJIMOTO, YUKIO. (*See* Wilkinson et al.), 109

G

GAIZUTIS, MARIE. (*See* Pesce, Gaizutis, and Pollak), 586

GENEL, MYRON. (*See* Holtzapple et al.), 818

GENTON, EDWARD, AND CLAMAN, HENRY N. Urokinase: Antigenic studies in patients following thrombolytic therapy, 619

GIFFORD, ROBERT H., AND MALAWISTA, STEPHEN E. A simple rapid micromethod for detecting chronic granulomatous disease of childhood, 511

GILBERT, JOSEPH W., LINDSAY, JOSEPH, AND PENFOLD, ERIC. A syringe-activated event marker, 156

GITIN, EUGENE L. (*See* Levere, Gitin, and Sassa), 137

GIZIS, E. J., DIETRICH, M. F., CHOI, G., AND MEYER, L. M. A ^{57}Co vitamin B_{12} binder in normal serum eluted by DEAE-cellulose chromatography with 0.1M sodium phosphate buffer, pH 5.8, 673

GLAZKO, A. J. (*See* Chang and Glazko), 145

GLEICH, GERALD J. (*See* O'Sullivan et al.), 771

GLICK, SEYMOUR M. (*See* Levine et al.), 30

GOLDBERG, LEONARD S., AND BLUESTONE, RODNEY. Hidden gastric autoantibodies to intrinsic factor in pernicious anemia, 449

GOLDSTEIN, ELLIOT, GREEN, GARETH M., AND SEAMANS, CAROL. The effect of acidosis on pulmonary bactericidal function, 912

GREEN, GARETH M. (*See* Goldstein, Green, and Seamans), 912

GROSSMAN, BURTON J. (*See* McIntosh et al.), 566

GUREWICH, V. (*See* Hawiger et al.), 93

H

HADDY, FRANCIS J. (*See* Chou et al.), 729

HALME, JOUKO, UITTO, JOUNI, KAHANPAA, KARI, KARHUNEN, PEKKA, AND LINDY, SEPPO. Protocollagen proline hydroxylase activity in experimental pulmonary fibrosis of rats, 535

HALPIN, THOMAS C. (*See* Caldwell, Halpin, and Greenberger), 43

HAMPTON, J. W. (*See* McKee et al.), 391

HAND, W. LEE, SMITH, JAMES W., MILLER, THOMAS E., BARNETT, JACK A., AND SANFORD, JAY P. Immunoglobulin synthesis in lower urinary tract infection, 19

HANES, DAVID J. (*See* Zucker et al.), 83

HANES, THOMAS E., PATTERSON, JANIS, AND VAN EYS, JAN. Red cell aldolase and other enzyme activities in hereditary spherocytosis, 654

HANSEN, HEINE H. (*See* Haskell et al.), 763

HARRISON, CARLOS E., JR., NOVAK, LADISLAV P., CONNOLLY, DANIEL C., AND BROWN, AENOLD L., JR. Adenosinetriphosphatase activity of cellular organelles in experimental potassium depletion cardiomyopathy, 185

HASKELL, CHARLES M., CANELLOS, GEORGE P., COONEY, DAVID A., AND HANSEN, HEINE H. Biochemical and pharmacologic effects of L-asparaginase in man, 763

HAWIGER, J., NIEWIAROWSKI, S., GUREWICH, V., AND THOMAS, D. P. Measurement of fibrinogen and fibrin degradation products in serum by staphylococcal clumping test, 93

HEILMAN, DOROTHY H., BERNTON, HORACE W., AND HIGGINS, GEORGE A. Cultures of human tissues for studies on delayed allergy with observations on sarcoidosis, 488

VAN DER HEM, G. K. (*See* Trip et al.), 403

HIGGINS, GEORGE A. (*See* Heilman, Bernton, and Higgins), 488

HILL, HARRY R., HOLDEN, PRESTON, MUTH, DAVID J., KIRKLAND, CLEM L., JR., AND KIRK, LARRY J. The serological diagnosis of arbovirus infections in newborns and infants, 457

HO, MIN-FU. (*See* Bullock, Ho, and Chen), 863

HOCH, JANE. (*See* Whelan, Hoch, and Combes), 542

HODKINSON, BARBARA A. (*See* McIntyre et al.), 472

HOELDTKE, R. D., AND MARTIN, W. R. Urine volume and catecholamine excretion, 166

— AND SLOAN, J. W. Acid hydrolysis of urinary catecholamines, 159

HOLDEN, PRESTON. (*See* Hill et al.), 457

HOLMSEN, HOLM, AND DAY, H. JAMES. The selectivity of the thrombin-induced platelet release reaction: Subcellular localization of released and retained constituents, 840

HOLTZAPPLE, PHILIP, REA, CLAIRE, GENEL, MYRON, AND SEGAL, STANTON. Cycloleucine inhibition of amino acid transport in human and rat kidney cortex, 818

HOWE, R. B., BERK, P. D., BLOOMER, J. R., AND BERLIN, N. I. Preparation and properties of specifically labeled radiochemically stable ^{3}H-bilirubin, 499

J

JACOBS, PETER, AND ADRIAENSSENS, LIEVE. A simple method for repeated blood sampling in small animals, 1013

JAFFE, BERNARD M. (*See* Newton, McGuigan, and Jaffe), 886

JOHANSON, WALDEMAR G., JR., BLACKSTOCK, REBECCA, PIERCE, ALAN K., AND SANFORD, JAY P. The role of bacterial antagonism in pneumococcal colonization of the human pharynx, 946

JONES, RICHARD J., AND DOBRILOVIC, LJUBICA. Lipoprotein lipid alterations with cholestyramine administration, 953

JOSEPHSON, AARON M. (*See* Orlina, Josephson, and McDonald), 930

JOWSEY, JENIFER. (*See* Riggs et al.), 520

K

KAGAN, AVIR. (*See* Levine et al.), 30

KAHANPAA, KARI. (*See* Halme et al.), 535

KAPNER, LOUIS. (*See* Scheuer et al.), 924

KARHUNEN, PEKKA. (*See* Halme et al.), 535

KAUFMAN, DONALD B. (*See* McIntosh et al.), 566

KEUSCH, GERALD T., PLAUT, ANDREW G., AND TRONCALE, FRANK J. The interpretation and significance of the xylose tolerance test in the tropics, 558

—. (*See* Rahal, Keusch, and Weinstein), 442

KINLOUGH-RATHBONE, RAELENE L., PACKHAM, MARIAN A., AND MUSTARD, J. FRASER. The effect of glucose on adenosine diphosphate-induced platelet aggregation, 780

KIPPIN, IAN. (*See* Klinenberg and Kippin), 503

KIRK, LARRY J. (*See* Hill et al.), 457

KIRKLAND, CLEM L., JR. (*See* Hill et al.), 457

KLINENBERG, JAMES R., AND KIPPIN, IAN. The binding of urate to plasma proteins determined by means of equilibrium dialysis, 503

KNOSPE, WILLIAM H. (*See* Schrek, Knospe, and Trobaugh), 217

KOWARSKI, AVINOAM. (*See* Bayard et al.), 347

KRETCHMAR, A. L., MCDONALD, T. P., AND LANGE, R. D. Mode of action of erythropoietin in polycythemic mice. I. Response in mice treated with 5-fluorouracil, 74

KULVINSKAS, CLAUDIUS. (*See* McIntosh et al.), 566

L

LANDAY, MARSHALL E., PASH, ROBERT M., AND MILLAR, JACK W. Spherules in the serodiagnosis of coccidioidomycosis, 197

LANGE, R. D. (*See* Kretchmar, McDonald, and Lange), 74

LANGLEY, PAUL E. (*See* Burns and Langley), 983

LEMANN, J., JR., LENNON, E. J., Piering, W. R., PRIEN, E. L., JR., AND RICANATI, E. S. Evidence that glucose ingestion inhibits net renal tubular reabsorption of calcium and magnesium in man, 578

LENNON, E. J. (*See* LEMANN et al.), 578

LERNER, ROGER L. (*See* Silvers et al.), 175

LEVERE, RICHARD D., GITIN, EUGENE L., AND SASSA, SHIGERU. Semimicroassay method for hepatic δ-aminolevulinic acid synthetase activity, 137

LEVIN, JACK, TOMASULO, PETER A., AND OSER, RONALD S. Detection of endotoxin in human blood and demonstration of an inhibitor, 903

LEVINE, PETER H., AND WEINTRAUB, LEWIS R. Preparation of suspensions of small bowel mucosal epithelial cells, 1026

LEVINE, ROBERT A., OYAMA, STANLEY, KAGAN, AVIR, AND GLICK, SEYMOUR M. Stimulation of insulin and growth hormone secretion by adenine nucleotides in primates, 30

LEVITT, MICHAEL D., AND DONALDSON, ROBERT M. Use of respiratory hydrogen (H_2) excretion to detect carbohydrate malabsorption, 937

LINDSAY, JOSEPH. (*See* Gilbert, Lindsay, and Penfold), 156

LINDY, SEPPO. (*See* Halme et al.), 535

LINMAN, JAMES W. (*See* O'Sullivan et al.), 771

LOWY, C. (*See* Spitz et al.), 998

LUDWIG, GEORGE D. (*See* Wilkinson et al.), 109

LUDWIG, J. (*See* Olatunbosun et al.), 754

M

MCCURDY, PAUL R., BLACKWELL, R. QUENTIN, TODD, DAVID, TSO, S. C., AND TUCHINDA, SOODSARKORN. Further studies on glucose-6-phosphate dehydrogenase deficiency in Chinese subjects, 788

MCDONALD, BARBARA J. (*See* Orlina, Josephson, and McDonald), 930

MCDONALD, T. P. (*See* Kretchmar, McDonald, and Lange), 74

MCGUIGAN, JAMES E. (*See* Newton, McGuigan, and Jaffe), 886

MCINTOSH, RAWLE M., KAUFMAN, DONALD B., KULVINSKAS, CLAUDIUS, AND GROSSMAN, BURTON J. Cryoglobulins. I. Studies on the nature, incidence, and clinical significance of serum cryoproteins in glomerulonephritis, 566

MCINTYRE, PATRICIA A., EVATT, BRUCE, HODKINSON, BARBARA A., AND SCHEFFEL, URSULA. Selenium-75 seleno-methionine as a label for erythrocytes, leukocytes, and platelets in man, 472

McKee, P. A., Coussons, R. T., Buckner, R. G., Williams, G. R., and Hampton, J. W. Effects of the spleen on canine factor VIII levels, 391
McQuarrie, D. G., and Vennes, J. A. The contributions of anaerobic mechanisms to hydrogen ion transport in the dog stomach, 61
Mahadevan, V. (*See* Chen, Mahadevan, and Zieve), 622
—. (*See* Chen, Zieve, and Mahadevan), 628
Makino, Sohei, and Reed, Charles E. Distribution and elimination of exogenous alpha$_1$-antitrypsin, 742
Malawista, Stephen E. (*See* Gifford and Malawista), 511
Malhotra, Om P., and Carter, J. R. Prothrombin in factor X deficiency, 120
Mandema, E. (*See* Trip et al.), 403
Mangi, Richard J. (*See* Abeloff et al.), 703
Mao, Rose. (*See* Westerman, Wiggans, and Mao), 893
Mardiney, Michael R., Jr. (*See* Abeloff et al.), 703
Martin, W. R. (*See* Hoeldtke and Martin), 166
Marver, Harvey S. (*See* Tenhunen, Marver, and Schmid), 410
Matsuda, Takayoshi. (*See* Dern, Wiorkowski, and Matsuda), 37
Mautalen, Carlos A. With the technical assistance of Casco, Cristina. Circadian rhythm of urinary total and free hydroxyproline excretion and its relation to creatinine excretion, 11
Mayer, Howard E., Ballard, Dennis R., and Abboud, Francois M. Use of a jugular vein shunt in the rat bioassay, 1017
Merrill, D. A. (*See* Claman et al.), 307
Meyer, L. M. (*See* Gizis et al.), 673
Migeon, Claude J. (*See* Bayard et al.), 347
Migliore, Philip J. (*See* Alexanian and Migliore), 225
Millar, Jack W. (*See* Landay, Pash, and Millar), 197
Miller, Thomas E. (*See* Hand et al.), 19
Moore, Lydie D. (*See* Schrier), 422
Morgan, E. H. Effect of hypoxia on serum concentration of transferrin and other serum proteins in human subjects, 1006
Muller-Eberhard, Ursula. (*See* Ross and Muller-Eberhard), 694
Murray, M. J., Stein, Nell, and Bjerke, Randal. Do iron stores affect absorption and distribution of iron in pregnancy? 747
Mustard, J. Fraser. (*See* Kinlough-Rathbone, Packham, and Mustard), 780
Muth, David J. (*See* Hill et al.), 457

N

Newton, William T., McGuigan, James E., and Jaffe, Bernard M. Radioimmunoassay of peptides lacking tyrosine, 886
Niewiarowski, S. (*See* Hawiger et al.), 93
—. (*See* Thomas, Niewiarowski, and Ream), 607
Nordlund, James J. (*See* Root, Nordlund, and Wolff), 679
Novak, Ladislav P. (*See* Harrison et al.), 185

O

Okuma, Minoru, Steiner, Manfred, and Baldini, Mario. Studies on lipid peroxides in platelets. I. Method of assay and effect of storage, 283
Olatunbosun, David, Corbett, W. E. N., Ludwig, J., and Valberg, L. S. Alteration of cobalt absorption in portal cirrhosis and idiopathic hemochromatosis, 754
Orlina, Armando R., Josephson, Aaron M., and McDonald, Barbara J. The poststorage viability of glucose-6-phosphate-deficient erythrocytes, 930
Oser, Ronald S. (*See* Levin, Tomasulo, and Oser), 903
O'Sullivan, Michael B., Chiba, Yoichi, Gleich, Gerald J., and Linman, James W. Some molecular characteristics of human urinary erythropoietin determined by gel filtration and density-gradient ultracentrifugation, 771
Oyama, Stanley. (*See* Levine et al.), 30

P

Packham, Marian A. (*See* Kinlough-Rathbone, Packham, and Mustard), 780
Pash, Robert M. (*See* Landay, Pash, and Millar), 197
Patterson, Janis. (*See* Hanes, Patterson, and van Eys), 654
Peakman, D. (*See* Claman et al.), 307
Penfold, Eric. (*See* Gilbert, Lindsay, and Penfold), 156
Penpargkul, Somsong. (*See* Scheuer et al.), 924
Pequegnat, E. Peter. (*See* Riggs et al.), 520
Pesce, Amadeo J., Gaizutis, Marie, and Pollak, Victor E. Selectivity of proteinuria: An evaluation of the immunochemical and gel filtration techniques, 586
Pfaffenbach, E. C. (*See* Price et al.), 316
Pierce, Alan K. (*See* Johanson et al.), 946
Piering, W. R. (*See* Lemann et al.), 578
Plaut, Andrew G. (*See* Keusch, Plaut, and Troncale), 558
Pollak, Victor E. (*See* Pesce, Gaizutis, and Pollak), 586
Poortmans, Jacques. (*See* Bienenstock and Poortmans), 297
Potchen, E. James. (*See* Wochner et al.), 711
Pretlow, Thomas G. (*See* Abeloff et al.), 703

PRICE, J. M., BROWN, R. R., PFAFFENBACH, E. C., AND SMITH, NATHAN J. Excretion of urinary tryptophan metabolites by patients with congenital hypoplastic anemia (Diamond-Blackfan syndrome), 316

PRIEN, E. L., JR. (*See* Lemann et al.), 578

PUSZKIN, ELENA, ALEDORT, LOUIS, AND PUSZKIN, SAUL. The labeling of dicarboxylic amino acids and their amides by glucose and acetate in human platelets, 234

PUSZKIN, SAUL. (*See* Puszkin, Aledort, and Puszkin), 234

Q

QUE, G. S. (*See* Trip et al.), 403

R

RAHAL, JAMES J., JR., KEUSCH, GERALD T., AND WEINSTEIN, LOUIS. Uncoupling of oxidative phosphorylation by purified staphylococcal alpha toxin, 442

RAVAL, DILIP. (*See* Brittin and Raval), 811

RAYFORD, PHILLIP L. (*See* Cargille and Rayford), 1030

REA, CLAIRE. (*See* Holtzapple et al.), 818

REAM, V. JANE. (*See* Thomas, Niewiarowski, and Ream), 607

REAVEN, GERALD M. (*See* Silvers et al.), 175

REED, CHARLES. (*See* Makino and Reed), 742

RICANATI, E. S. (*See* Lemann et al.), 578

RICHMOND, DAVID R., TAUXE, W. NEWLON, AND BASSINGTHWAIGHTE, JAMES B. Albumin macroaggregates and measurements of regional blood flow: Validity and application of particle sizing by Coulter counter, 336

RIGGS, B. LAWRENCE, JR., BASSINGTHWAIGHTE, JAMES B., JOWSEY, JENIFER, AND PEQUEGNAT, E. PETER. Autoradiographic method for quantitation of deposition and distribution of radiocalcium in bone, 520

RITCHIE, JAMES C. (*See* Castor), 798

ROBIN, EUGENE D. (*See* Sieger, Altman, and Robin), 721

ROBINSON, A. (*See* Claman et al.), 207

ROOT, RICHARD K., NORDLUND, JAMES J., AND WOLFF, SHELDON M. Factors affecting the quantitative production and assay of human leukocytic pyrogen, 679

ROSS, JEAN D., AND MULLER-EBERHARD, URSULA. With the technical assistance of Carroll, Leslie A. Pharmacologic induction of serum hemopexin by 3-methylcolanthrene and allylisopropylacetamide, 694

ROWE, KRISTINE. (*See* Castor), 798

RUBENSTEIN, A. H. (*See* Spitz et al.), 998

RYLEY, H. C. An electrophoretic study of the sol phase of sputum, 382

S

SAKAI, TAKAHIRO. (*See* Eisen, Bloch, and Sakai), 258

SANFORD, JAY P. (*See* Hand et al.), 19

—. (*See* Johanson et al.), 946

SASSA, SHIGERU. (*See* Levere, Gitin, and Sassa), 137

SCHADE, STANLEY G., FELSHER, BERTRAM F., BERNIER, GEORGE M., AND CONRAD, MARCEL E. Interrelationship of cobalt and iron absorption, 435

SCHEFFEL, URSULA. (*See* McIntyre et al.), 472

SCHEUER, JAMES, KAPNER, LOUIS, STRINGFELLOW, CHARLES A., ARMSTRONG, CAROL L., AND PENPARGKUL, SOMSONG. Glycogen, lipid, and high energy phosphate stores in hearts from conditioned rats, 924

SCHMID, RUDI. (*See* Tenhunen, Marver, and Schmid), 410

SCHONFELD, GUSTAV. Changes in the composition of very low density lipoprotein during carbohydrate induction in man, 206

SCHREIBMAN, PAUL H. (*See* Wilson et al.), 264

SCHREK, ROBERT, KNOSPE, WILLIAM H., AND TROBAUGH, FRANK E., JR. Chromatin and other cytologic indices in chronic lymphocytic leukemia, 217

SCHRIER, STANLEY L. With the technical assistance of Moore, Lydie D., and Chiapella, A. P. Transfer of inorganic phosphate across human erythrocyte membranes, 422

SEAMANS, CAROL. (*See* Goldstein, Green, and Seamans), 912

SEGAL, STANTON. (*See* Holtzapple et al.), 818

SENESKY, DOROTHY. (*See* Wilkinson et al.), 109

SHEAGREN, JOHN N., TOBIE, JOHN E., FOX, LAY M., AND WOLFF, SHELDON M. Reticuloendothelial system phagocytic function in naturally acquired human malaria, 481

SHOHET, STEPHEN B. Changes in fatty acid metabolism in human leukemic granulocytes during phagocytosis, 659

SIEGER, LANCE H. S., ALTMAN, MICHAEL, AND ROBIN, EUGENE D. Lactate dehydrogenase characteristics of rabbit alveolar and peritoneal macrophages, 721

SILVERS, ABRAHAM, FARQUHAR, JOHN W., LERNER, ROGER L., AND REAVEN, GERALD M. Evaluation of the dog as an experimental model for the study of insulin distribution and degradation in man, 175

SLOAN, J. W. (*See* Hoeldtke and Sloan), 159

SMITH, JAMES W. (*See* Hand et al.), 19

SMITH, NATHAN J. (*See* Price et al.), 316

SOLTYS, HENRY D., AND BRODY, JEROME I. Septic survival of rabbits induced by in vivo phytohemagglutinin, 967

— and —. Synthesis of transferrin by human peripheral blood lymphocytes, 250

SOX, PAULA J. (*See* Zucker et al.), 83

SPITZ, I. M., RUBENSTEIN, A. H., BERSOHN, I., WRIGHT, A. D., AND LOWY, C. Urine insulin in renal disease, 998

STEIN, NELL. (*See* Murray, Stein, and Bjerke), 747

STEINER, MANFRED. (*See* Okuma, Steiner, and Baldini), 283

STRINGFELLOW, CHARLES A. (*See* Scheuer et al.), 924

STROBER, W., BLAESE, R. M., AND WALDMANN, T. A. The origin of salivary IgA, 856

STRUMIA, MAX M., STRUMIA, PAUL V., AND EUSEBI, ALBERT J. With the technical assistance of Torg, B., Dugan, A., Burns, M. E., and Benner, R. The preservation of blood for transfusion. VII. Effect of adenine and inosine on the adenosine triphosphate and viability of red cells when added to blood stored from zero to seventy days at 1° C., 244

STRUMIA, PAUL V. (*See* Strumia, Strumia, and Eusebi), 244

STUART, R. KENNETH. Platelet function studies in human beings receiving 300 mg. of aspirin per day, 463

SWALES, J. D., AND TANGE, J. D. A photoelectric method of blood pressure measurement in the rat, 879

SZILAGYI, GEZA, AND ERSLEV, ALLAN J. Effect of organic iron compounds on the iron uptake of reticulocytes in vitro, 275

T

TAKEDA, Y. Studies of the effects of heparin, Coumadin, and vitamin K on prothrombin metabolism and distribution in calves with the use of iodine-125-prothrombin, 355

TANGE, J. D. (*See* Swales and Tange), 879

TAUXE, W. NEWLON. (*See* Richmond, Tauxe, and Bassingthwaighte), 336

TAVES, DONALD R. (*See* Fry and Taves), 1020

TENHUNEN, RAIMO, MARVER, HARVEY S., AND SCHMID, RUDI. The enzymatic catabolism of hemoglobin: Stimulation of microsomal heme oxygenase by hemin, 410

THOMAS, DUNCAN P., NIEWIAROWSKI, STEFAN, AND REAM, V. JANE. Release of adenine nucleotides and platelet factor 4 from platelets of man and four other species, 607

—. (*See* Hawiger et al.), 93

TOBIE, JOHN E. (*See* Sheagren et al.), 481

TODD, DAVID. (*See* McCurdy et al.), 788

TOMASULO, PETER A. (*See* Levin, Tomasulo, and Oser), 903

TORG, B. (*See* Strumia, Strumia, and Eusebi), 244

TRIP, J. A. J., QUE, G. S., VAN DER HEM, G. K., AND MANDEMA, E. The urinary excretion of ceruloplasmin in patients with proteinuria with special reference to ceruloplasmin fractions, 403

TROBAUGH, FRANK E., JR. (*See* Schrek, Knospe, and Trobaugh), 217

TRONCALE, FRANK J. (*See* Keusch, Plaut, and Troncale), 558

TSO, S. C. (*See* McCurdy et al.), 788

TUCHINDA, SOODSARKORN. (*See* McCurdy et al.), 788

U

UITTO, JOUNI. (*See* Halme et al.), 535

UTIGER, ROBERT D. (*See* Dalrymple and Utiger), 325

V

VALBERG, L. S. (*See* Olatunbosun et al.), 754

VAN AMBURG, ALBERT. (*See* Wochner et al.), 711

VENNES, J. A. (*See* McQuarrie and Vennes), 61

VOGLER, WILLIAM R. (*See* Zucker et al.), 83

W

WAALKES, T. PHILLIP, AND DEVITA, VINCENT T. The determination of pentamidine (4,4′-diamidinophenoxypentane) in plasma, urine, and tissues, 871

WAGNER, HENRY N., JR. (*See* DeLand and Wagner), 529

WALDMANN, T. A. (*See* Strober, Blaese, and Waldmann), 856

WAYS, PETER O. (*See* Bagdade and Ways), 53

WEINSTEIN, LOUIS. (*See* Rahal, Keusch, and Weinstein), 442

WEINTRAUB, LEWIS R. (*See* Levine and Weintraub), 1026

WELDON, VIRGINIA V. (*See* Bayard et al.), 347

WESTERMAN, MAXWELL P. WIGGANS, R. GLEN, III, AND MAO, ROSE. Anemia and hypercholesterolemia in cholesterol-fed rabbits, 893

WHELAN, GREGORY, HOCH, JANE, AND COMBES, BURTON. A direct assessment of the importance of conjugation for biliary transport of sulfobromophthalein sodium, 542

WHITE, ARTHUR. (*See* Crowder and White), 128

WIGGANS, R. GLEN, III. (*See* Westerman, Wiggans, and Mao), 893

WILKINSON, J. HENRY, FUJIMOTO, YUKIO, SENESKY, DOROTHY, AND LUDWIG, GEORGE D. Nature of the inhibitors of lactate dehydrogenase in uremic dialysates, 109

WILLIAMS, G. R. (*See* McKee et al.), 391

WILSON, DANA E., SCHREIBMAN, PAUL H., BREWSTER, ALAN C., AND ARKY, RONALD A. The enhancement of alimentary lipemia by ethanol in man, 264
WIORKOWSKI, JOHN J. (*See* Dern, Wiorkowski, and Matsuda), 37
WOCHNER, R. DEAN, ADATEPE, MUSTAFA, VAN AMBURG, ALBERT, AND POTCHEN, E. JAMES. A new method for estimation of plasma volume with the use of the distribution space of indium-113m-transferrin, 711
WOLFF, SHELDON M. (*See* Root, Nordlund, and Wolff), 679
—. (*See* Sheagren et al.), 481
WRIGHT, A. D. (*See* Spitz et al.), 998
WRIGHT, DELOISTEEN. (*See* Castor), 798

Z

ZIEVE, LESLIE. (*See* Chen, Mahadevan, and Zieve), 622
—. (*See* Chen, Zieve, and Mahadevan), 628
ZUCKER, STANLEY, HANES, DAVID J., VOGLER, WILLIAM R., AND EANES, ROBERT Z. With the technical assistance of Brosious, Effie, and Sox, Paula J. Plasma muramidase: A study of methods and clinical applications, 83

Subject index*

A

Absorption, cobalt, alteration of, in portal cirrhosis and idiopathic hemochromatosis, 754
and iron, interrelationship of, 435
and distribution of iron in pregnancy, do iron stores affect? 747
intestinal, of ^{3}H-ouabain: demonstration of nonsaturable transport process, 43
iron, duodenal ferritin synthesis during, in the iron-deficient rat, 811
(mal-), carbohydrate, use of respiratory hydrogen (H_2) excretion to detect, 937
Acetate, glucose and, in human platelets, labeling of dicarboxylic amino acids and their amides by, 234
Acid(s), amino, transport, cycloleucine inhibition of, in human and rat kidney cortex, 818
dicarboxylic amino, and their amides, labeling of, by glucose and acetate in human platelets, 234
hydrolysis of urinary catecholamines, 159
metabolism, fatty, in human leukemic granulocytes, changes in, during phagocytosis, 659
synthetase activity, hepatic δ-aminolevulinic, semimicroassay method for, 137
volatile fatty, in breath of patients with cirrhosis of liver, 622
Acidosis, effect of, on pulmonary bactericidal function, 912
Address, Presidential, 6
Adenine and inosine, effect of, on adenosine triphosphate and viability of red cells when added to blood stored from zero to seventy days at 1° C.: preservation of blood for transfusion; VII, 244
nucleotides and platelet factor 4, release of, from platelets of man and four other species, 607
stimulation of insulin and growth hormone secretion, in primates, 30
Adenosine-diphosphate-induced platelet aggregation, effect of glucose on, 780
(3′-5′-) monophosphate, cyclic, and adrenergic receptor sites, role of: lipolysis by human adipose tissue, 983
Adenosine—Cont'd
triphosphate and viability of red cells, effect of adenine and inosine on, when added to blood stored from zero to seventy days at 1° C.: preservation of blood for transfusion; VII, 244
Adenosinetriphosphatase activity of cellular organelles in experimental potassium depletion cardiomyopathy, 185
Adipose tissue, human, lipolysis by: role of cyclic 3′,5′-adenosine monophosphate and adrenergic receptor sites, 983
Adrenergic receptor sites, cyclic 3′,5′-adenosine monophosphate and, role of: lipolysis by human adipose tissues, 983
Aggregation, adenosine-diphosphate–induced platelet, effect of glucose on, 780
Albumin macroaggregates and measurements of regional blood flow: validity and application of particle sizing by Coulter counter, 336
Aldolase, red cell, and other enzyme activities in hereditary spherocytosis, 654
Aldosterone, plasma, appraisal of double isotope dilution techniques for measurement of, 347
Alimentary lipemia, enhancement of, by ethanol in man, 264
Allergy, delayed, cultures of human tissues for studies on, with observations on sarcoidosis, 488
Allylisopropylacetamide, 3-methylcolanthrene and, pharmacologic induction of serum hemopexin by, 694
Alpha$_1$-antitrypsin, exogenous, distribution and elimination of, 742
Alveolar and peritoneal macrophages, rabbit, lactate dehydrogenase characteristics of, 721
Amides, their, dicarboxylic amino acids and, labeling of, by glucose and acetate in human platelets, 234
Amino acid(s), dicarboxylic, and their amides, labeling of, by glucose and acetate in human platelets, 234
transport, cycloleucine inhibition of, in human and rat kidney cortex, 818

*January, pp. 1-174; February, pp. 175-354; March, pp. 355-534; April, pp. 535-710; May, pp. 711-892; June, pp. 893-1062.

Aminolevulinic (δ-) acid synthetase activity, hepatic, semimicroassay method for, 137
Anaerobic mechanisms, contributions of, to hydrogen ion transport in dog stomach, 61
Anemia, pernicious, hidden gastric autoantibodies to intrinsic factor in, 449
(Diamond-Blackfan syndrome), congenital hypoplastic, excretion of urinary tryptophan metabolites by patients with, 316
and hypercholesterolemia in cholesterol-fed rabbits, 893
Antigenic studies in patients following thrombolytic therapy: urokinase, 619
Antisera, characterization of, for human follicle-stimulating hormone radioimmunoassay, 1030
Antitrypsin, alpha$_1$-, exogenous, distribution and elimination of, 742
Arbovirus infections in newborns and infants, serological diagnosis of, 457
Asparaginase, L-, in man, biochemical and pharmacologic effects of, 763
Aspirin, platelet function studies in human beings receiving 300 mg. of, per day, 463
Assay, method of, and effect of storage: studies on lipid peroxides in platelets; I, 283
quantitative, of 5,5-diphenylhydantoin (Dilantin) and 5-(*p*-hydroxyphenyl)-5-phenylhydantoin by gas-liquid chromatography, 145
production and, of human leukocytic pyrogen, factors affecting, 679
(semimicro-) method for hepatic δ-aminolevulinic acid synthetase activity, 137
Autoantibodies, hidden gastric, to intrinsic factor in pernicious anemia, 449
Autoradiographic method for quantitation of deposition and distribution of radiocalcium in bone, 520

B

Bacterial antagonism, role of, in pneumococcal colonization of human pharynx, 946
growth in blood cultures, automated radiometric detection of, 529
Bactericidal function, pulmonary, effect of acidosis on, 912
Biliary transport of sulfobromophthalein sodium, direct assessment of importance of conjugation for, 542
Bilirubin, ^{3}H-, specifically labeled radiochemically stable, preparation and properties of, 499
Binding, thyroxine, serum thyroxine concentrations and, studies on, in rat serum: micromethod for determination of serum thyroxine, 325
of urate to plasma proteins determined by means of equilibrium dialysis, 503
Bioassay, rat, use of jugular vein shunt in, 1017
Biochemical and pharmacologic effects of L-asparaginase in man, 763
Blackfan, Diamond-, syndrome (congenital hypoplastic anemia), excretion of urinary tryptophan metabolites by patients with, 316
Blasts, leukemic, isolation of, from peripheral blood by density gradient centrifugation, 703
Blood cultures, automated radiometric detection of bacterial growth in, 529
flow, intestinal, effect of potassium chloride on, 729
regional, measurements of: albumin macroaggregates and, validity and application of particle sizing by Coulter counter, 336
human, detection of endotoxin in, and demonstration of an inhibitor, 903
preservation of, for transfusion. VII. Effect of adenine and inosine on adenosine triphosphate and viability of red cells when added to blood stored from zero to seventy days at 1° C., 244
studies on preservation of. V. The effect of mixing anticoagulated blood during storage on poststorage erythrocyte survival, 37
lymphocytes, human peripheral, synthesis of transferrin by, 250
peripheral, isolation of leukemic blasts from, by density gradient centrifugation, 703
pressure measurement, photoelectric method of, in the rat, 879
sampling, repeated, in small animals, simple method for, 1013
Bone, autoradiographic method for quantitation of deposition and distribution of, radiocalcium in, 520
Bowel, small, mucosal epithelial cells, preparation of suspensions of, 1026
Breath of patients with cirrhosis of liver, mercaptans and dimethyl sulfide in, 628
volatile fatty acids in, 622
Buffer, sodium phosphate, 0.1M, pH 5.8, ^{57}Co vitamin B_{12} binder in normal serum eluted by DEAE-cellulose chromatography with, 673

C

Calcium and magnesium, evidence that glucose ingestion inhibits net renal tubular reabsorption of, in man, 578
Carbohydrate induction in man, changes in composition of very low density lipoprotein during, 206
malabsorption, use of respiratory hydrogen (H_2) excretion to detect, 937
Cardiomyopathy, experimental potassium depletion, adenosinetriphosphatase activity of cellular organelles in, 185

Catabolism, enzymatic, of hemoglobin: stimulation of microsomal heme oxygenase by hemin, 410
Catecholamine(s) excretion, urine volume and, 166
urinary, acid hydrolysis of, 159
Cell(s) aldolase, red, and other enzyme activities in hereditary spherocytosis, 654
red, viability of, adenosine triphosphate and, effect of adenine and inosine on, when added to blood stored from zero to seventy days at 1° C.: preservation of blood for transfusion; VII, 244
small bowel mucosal epithelial, preparation of suspensions of, 1026
Cellular organelles in experimental potassium depletion cardiomyopathy, adenosinetriphosphatase activity of, 185
sub-, localization of released and retained constituents: selectivity of thrombin-induced platelet release reaction, 840
Cellulose, DEAE-, chromatography with 0.1M sodium phosphate buffer, pH 5.8, ^{57}Co vitamin B_{12} binder in normal serum eluted by, 673
Centrifugation, density gradient, isolation of leukemic blasts from peripheral blood by, 703
Ceruloplasmin, urinary excretion of, in patients with proteinuria with special reference to ceruloplasmin fractions, 403
Chain, immunoglobulin light, and whole IgG excretion, urinary, in normal human subjects and patients with immune-related disorders, application of modified technique to study, 636
Chemotherapy, melphalan, effect of: normal immunoglobulins in multiple myeloma, 225
Chinese subjects, further studies on glucose-6-phosphate dehydrogenase deficiency in, 788
Chloride, potassium, effect of, on intestinal blood flow, 729
Cholesterol, nonesterified, blocking of, by digitonin, streptolysin O inhibition by serum γG-globulin and β-lipoprotein after, 975
-fed rabbits, anemia and hypercholesterolemia in, 893
Cholestyramine administration, lipoprotein lipid alterations with, 953
Chromatin and other cytologic indices in chronic lymphocytic leukemia, 217
Chromatography, DEAE-cellulose, with 0.1M sodium phosphate buffer, pH 5.8, ^{57}Co vitamin B_{12} binder in normal serum eluted by, 673
gas-liquid, quantitative assay of 5,5-diphenylhydantoin (Dilantin) and 5-(*p*-hydroxyphenyl)-5-phenylhydantoin by, 145
Chromosome studies, immunoglobulin levels, and clinical disorders: isolated severe gamma A deficiency, 307
Circadian rhythm of urinary total and free hydroxyproline excretion and its relation to creatinine excretion, 11
Cirrhosis of liver, mercaptans and dimethyl sulfide in breath of patients with, 628
volatile fatty acids in breath of patients with, 622
portal, and idiopathic hemochromatosis, alteration of cobalt absorption in, 754
^{57}Co vitamin B_{12} binder in normal serum eluted by DEAE-cellulose chromatography with 0.1M sodium phosphate buffer, pH 5.8, 673
Coagulated (anti-) blood, effect of mixing, during storage on poststorage erythrocyte survival; studies on preservation of human blood, 37
Cobalt absorption, alteration of, in portal cirrhosis and idiopathic hemochromatosis, 754
and iron absorption, interrelationship of, 435
Coccidioidomycosis, spherules in serodiagnosis of, 197
Collagen and hyaluronate formation in human synovial fibroblast cultures, regulation of, 798
Collagenase, human skin, inhibition of, by human serum, 258
Colonization, pneumococcal, of human pharynx, role of bacterial antagonism in, 946
Concentration, serum, of transferrin and other serum proteins in human subjects, effect of hypoxia on, 1006
Congenital hypoplastic anemia (Diamond-Blackfan syndrome), excretion of urinary tryptophan metabolites by patients with, 316
Conjugation, direct assessment of importance of, for biliary transport of sulfobromophthalein sodium, 542
Cortex, human and rat kidney, cycloleucine inhibition of amino acid transport in, 818
Cortisone, effect of, on metabolism of connective tissues in the rat, 826
Coulter counter, validity and application of particle sizing by: albumin macroaggregates and measurements of regional blood flow, 336
Coumadin, vitamin K, and heparin, studies of effects of, on prothrombin metabolism and distribution in calves with use of iodine-125–prothrombin, 355
Counter, Coulter, validity and application of particle sizing by: albumin macroaggregates and measurements of regional blood flow, 336

Creatinine excretion, circadian rhythm of urinary total and free hydroxyproline excretion and its relation to, 11
Cryoproteins, serum, in glomerulonephritis, studies on nature, incidence, and clinical significance of: cryoglobulins; I, 566
Cryoglobulins. I. Studies on nature, incidence, and clinical significance of serum cryoproteins in glomerulonephritis, 566
Cultures, blood, automated radiometric detection of bacterial growth in, 529
human synovial fibroblast, regulation of collagen and hyaluronate formation in, 798
of human tissues for studies on delayed allergy with observations on sarcoidosis, 488
Cyclic 3′,5′-adenosine monophosphate and adrenergic receptor sites, role of: lipolysis by human adipose tissue, 983
Cycloleucine inhibition of amino acid transport in human and rat kidney cortex, 818
Cytologic indices, other, chromatin and, in chronic lymphocytic leukemia, 217

D

DEAE-cellulose chromatography with 0.1M sodium phosphate buffer, pH 5.8, ^{57}Co vitamin B_{12} binder in normal serum eluted by, 673
Dehydrogenase–deficient, glucose-6-phosphate, erythrocytes, poststorage viability of, 930
glucose-6-phosphate, deficiency in Chinese subjects, further studies on, 788
lactate, characteristics of rabbit alveolar and peritoneal macrophages, 721
in uremic dialysates, nature of inhibitors of, 109
Density gradient centrifugation, isolation of leukemic blasts from peripheral blood by, 703
ultracentrifugation, gel filtration and, some molecular characteristics of urinary erythropoietin determined by, 771
Dialysates, uremic, nature of inhibitors of lactate dehydrogenase in, 109
Dialysis, equilibrium, binding of urate to plasma proteins determined by means of, 503
Diamidinophenoxypentane, 4,4′-,(pentamidine), determination of, in plasma, urine, and tissues, 871
Diamond-Blackfan syndrome (congenital hypoplastic anemia), excretion of urinary tryptophan metabolites by patients with, 316
Dicarboxylic amino acids and their amides, labeling of, by glucose and acetate in human platelets, 234
Digitonin, streptolysin O inhibition by serum γG-globulin and β-lipoprotein after blocking of nonesterified cholesterol by, 975
Dilantin (5,5-diphenylhydantoin) and 5-(*p*-hydroxyphenyl)-5-phenylhydantoin, quantitative assay of, by gas-liquid chromatography, 145
Dilution techniques, double isotope, appraisal of, for measurement of plasma aldosterone, 347
Dimethyl sulfide, mercaptans and, in breath of patients with cirrhosis of liver, 628
Diphenylhydantoin (5,5-) (Dilantin) and 5-(*p*-hydroxyphenyl)-5-phenylhydantoin, quantitative assay of, by gas-liquid chromatography, 145
Diphosphate–induced, adenosine-, platelet aggregation, effect of glucose on, 780
Disease(s), chronic granulomatous, of childhood, simple rapid micromethod for detecting, 511
renal, renal clearance of 15 plasma proteins in, 297
urine insulin in, 998
various, immunochemical quantitation of β_2-glycoprotein I in, 212
Duodenal ferritin synthesis during iron absorption in the iron-deficient rat, 811

E

Editors, letter from, 1
Electrode, fluoride, serum fluoride analysis with, 1020
Electrophoretic study of sol phase of sputum, 382
Endogenous hypertriglyceridemia, exogenous and, erythrocyte membrane lipid composition in, 53
Endotoxin, detection of, in human blood and demonstration of an inhibitor, 903
Energy, high, phosphate, glycogen, and lipid stores in hearts from conditioned rats, 924
Enzymatic catabolism of hemoglobin: stimulation of microsomal heme oxygenase by hemin, 410
Enzyme activities, other, red cell aldolase and, in hereditary spherocytosis, 654
Epithelial cells, small bowel mucosal, preparation of suspensions of, 1026
Equilibrium dialysis, binding of urate to plasma proteins determined by means of, 503
Erythrocyte(s), glucose-6-phosphate dehydrogenase–deficient, poststorage viability of, 930
leukocytes, and platelets in man, selenium-75 seleno-methionine as label for, 472

Erythrocyte(s)—Cont'd
membrane(s), human, transfer of inorganic phosphate across, 422
lipid composition in exogenous and endogenous hypertriglyceridemia, 53
survival, poststorage, effect of mixing anticogulated blood during storage on; studies on preservation of human blood, 37
Erythropoietin in polycythemic mice, mode of action of. I. Response in mice treated with 5-fluorouracil, 47
urinary, some molecular characteristics of, determined by gel filtration and density-gradient ultracentrifugation, 771
Esterified (non-) cholesterol, blocking of, by digitonin, streptolysin O inhibition by serum γG-globulin and β-lipoprotein after, 975
Ethanol in man, enhancement of alimentary lipemia by, 264
Excretion, catecholamine, urine volume and, 166
respiratory hydrogen (H_2), use of, to detect carbohydrate malabsorption, 937
urinary, of ceruloplasmin in patients with proteinuria with special reference to ceruloplasmin fractions, 403
immunoglobulin light chain and whole IgG, in normal human subjects and patients with immune-related disorders, application of modified technique to study, 636
total and free hydroxyproline, circadian rhythm of, and its relation to creatinine excretion, 11
of urinary tryptophan metabolites by patients with congenital hypoplastic anemia (Diamond-Blackfan syndrome), 316
Exogenous alpha$_1$-antitrypsin, distribution and elimination of, 742
and endogenous hypertriglyceridemia, erythrocyte membrane lipid composition in, 53

F

Factor VIII levels, canine, effects of spleen on, 391
X deficiency, prothrombin in, 120
Fatty acid(s) metabolism in human leukemic granulocytes, changes in, during phagocytosis, 659
volatile, in breath of patients with cirrhosis of liver, 622
Ferritin synthesis, duodenal, during iron absorption in the iron-deficient rat, 811
Fibrin degradation products, fibrinogen and, in serum, measurement of, by staphylococcal clumping test, 93
Fibrinogen and fibrin degradation products in serum, measurement of, by staphylococcal clumping test, 93
Fibroblast cultures, human synovial, regulation of collagen and hyaluronate formation in, 798
Fibrosis, experimental pulmonary, of rats, protocollagen proline hydroxylase activity in, 535
Filtration, gel, and density-gradient ultracentrifugation, some molecular characteristics of urinary erythropoietin determined by, 771
techniques, immunochemical and, evaluation of: selectivity of proteinuria, 586
Fluoride analysis, serum, with fluoride electrode, 1020
Fluorouracil (5-), response in mice treated with; mode of action of erythropoietin in polycythemic mice, 74
Follicle-stimulating, human, hormone radioimmunoassay, characterization of antisera for, 1030

G

Gamma A deficiency, isolated severe: immunoglobulin levels, clinical disorders, and chromosome studies, 307
(γ)G globulin, serum, and β-lipoprotein, streptolysin O inhibition by, after blocking of nonesterified cholesterol by digitonin, 975
Gas-liquid chromatography, quantitative assay of 5,5-diphenylhydantoin (Dilantin) and 5-(*p*-hydroxyphenyl)-5-phenylhydantoin by, 145
Gastric autoantibodies, hidden, to intrinsic factor in pernicious anemia, 449
Gel filtration and density-gradient ultracentrifugation, some molecular characteristics of urinary erythropoietin determined by, 771
techniques, immunochemical and, evaluation of: selectivity of proteinuria, 586
Globulin, serum γG, and β-lipoprotein, streptolysin O inhibition by, after blocking of nonesterified cholesterol by digitonin, 975
Glomerulonephritis, studies on nature, incidence, and clinical significance of serum cryoproteins in: cryoglobulins; I, 566
Glucose and acetate in human platelets, labeling of dicarboxylic amino acids and their amides by, 234
effect of, on adenosine-diphosphate–induced platelet aggregation, 780
ingestion inhibits net renal tubular reabsorption of calcium and magnesium in man, evidence that, 578
-6-phosphate dehydrogenase deficiency in Chinese subjects, further studies on, 788
–deficient erythrocytes, poststorage viability of, 930

Glycogen, lipid, and high energy phosphate stores in hearts from conditioned rats, 924
Glycoprotein (β_2-) I in various diseases, immunochemical quantitation of, 212
Gradient centrifugation, density, isolation of leukemic blasts from peripheral blood by, 703
density-, ultracentrifugation, gel filtration and, some molecular characteristics of urinary erythropoietin determined by, 771
Granulocytes, human leukemic, changes in fatty acid metabolism in, during phagocytosis, 659
Granulomatous disease of childhood, chronic, simple rapid micromethod for detecting, 511
Growth hormone secretion, stimulation of insulin and, by adenine nucleotides in primates, 30

H

^{3}H-bilirubin, specifically labeled radiochemically stable, preparation and properties of, 499
^{3}H-ouabain, intestinal absorption of: demonstration of nonsaturable transport process, 43
Hearts from conditioned rats, glycogen, lipid, and high energy phosphate stores in, 924
Heme oxygenase, microsomal, stimulation of, by hemin: enzymatic catabolism of hemoglobin, 410
Hemin, stimulation of microsomal heme oxygenase by: enzymatic catabolism of hemoglobin, 410
Hemochromatosis, idiopathic, portal cirrhosis and, alteration of cobalt absorption in, 754
Hemoglobin, enzymatic catabolism of: stimulation of microsomal heme oxygenase by hemin, 410
Hemopexin, serum, pharmacologic induction of, by 3-methylcolanthrene and allylisopropylacetamide, 694
Heparin, Coumadin, and vitamin K, studies of effects of, on prothrombin metabolism and distribution in calves with use of iodine-125–prothrombin, 355
Hepatic δ-aminolevulinic acid synthetase activity, semimicroassay method for, 137
Hereditary spherocytosis, red cell aldolase and other enzyme activities in, 654
Hormone radioimmunoassay, human follicle-stimulating, characterization of antisera for, 1030
secretion, growth, stimulation of insulin and, by adenine nucleotides in primates, 30
Hyaluronate, collagen and, formation in human synovial fibroblast cultures, regulation of, 798
Hydrogen (H_2) excretion, respiratory, use of, to detect carbohydrate malabsorption, 937
ion transport in dog stomach, contributions of anaerobic mechanisms to, 61
Hydrolysis, acid, of urinary catecholamines, 159
Hydroxylase activity, protocollagen proline, in experimental pulmonary fibrosis of rats, 535
5-(*p*-hydroxyphenyl)-5-phenylhydantoin, 5,5-diphenylhydantoin (Dilantin) and, quantitative assay of, by gas-liquid chromatography, 145
Hydroxyproline excretion, urinary total and free, circadian rhythm of, and its relation to creatinine excretion, 11
Hypercholesterolemia, anemia and, in cholesterol-fed rabbits, 893
Hypertriglyceridemia, exogenous and endogenous, erythrocyte membrane lipid composition in, 53
Hypoplastic anemia (Diamond-Blackfan syndrome), congenital, excretion of urinary tryptophan metabolites by patients with, 316
Hypoxia, effect of, on serum concentration of transferrin and other serum proteins in human subjects, 1006

I

Idiopathic hemochromatosis, portal cirrhosis and, alteration of cobalt absorption in, 754
IgA, IgM, and IgG immunoglobulins, quantitative relationships of: studies of immune mechanisms in leprosy; II, 863
salivary, origin of, 856
IgG excretion, whole, urinary immunoglobulin light chain and, in normal human subjects and patients with immune-related disorders, application of modified technique to study, 636
IgA, and IgM immunoglobulins, quantitative relationships of: studies of immune mechanisms in leprosy; II, 863
IgM, IgG, and IgA immunoglobulins, quantitative relationships of: studies of immune mechanisms in leprosy; II, 863
Immune mechanisms in leprosy, studies of. II. Quantitative relationships of IgG, IgA, and IgM immunoglobulins, 863
-related disorders, application of modified technique to study urinary immunoglobulin light chain and whole IgG excretion in normal human subjects and patients with, 636
Immunochemical and gel filtration techniques, evaluation of: selectivity of proteinuria, 586

Immunochemical—Cont'd
quantitation of β_2-glycoprotein in various diseases, 212
Immunoglobulin(s), IgG, IgA, and IgM, quantitative relationships of: studies of immune mechanisms in leprosy; II, 863
levels, clinical disorders, and chromosome studies: isolated severe gamma A deficiency, 207
light chain and whole IgG excretion, urinary, in normal human subjects and patients with immune-related disorders, application of modified technique to study, 636
normal, in multiple myeloma: effect of melphalan chemotherapy, 225
synthesis in lower urinary tract infection, 19
Indium-113m–transferrin, new method for estimation of plasma volume with use of distribution space of, 711
Infants and newborns, serological diagnosis of arbovirus infections in, 457
Infection(s), arbovirus, in newborns and infants, serological diagnosis of, 457
lower urinary tract, immunoglobulin synthesis in, 19
Pseudomonas, human, serologic response in, 128
Inorganic phosphate, transfer of, across human erythrocyte membranes, 422
Inosine, adenine and, effect of, on adenosine triphosphate and viability of red cells when added to blood stored from zero to seventy days at 1° C.: preservation of blood for transfusion; VII, 244
Insulin distribution and degradation in man, evaluation of dog as experimental model for study of, 175
Insulin and growth hormone secretion, stimulation of, by adenine nucleotides in primates, 30
urine, in renal disease, 998
Intestinal absorption of ^{3}H-ouabain: demonstration of nonsaturable transport process, 43
blood flow, effect of potassium chloride on, 729
Intrinsic factor, hidden gastric autoantibodies to, in pernicious anemia, 449
Iodine-125–prothrombin, studies of effects of heparin, Coumadin, and vitamin K on prothrombin metabolism and distribution in calves with use of, 355
Ion transport, hydrogen, in dog stomach, contributions of anaerobic mechanisms to, 61
Iron absorption, cobalt and, interrelationship of, 435
duodenal ferritin synthesis during, in the iron-deficient rat, 811
compounds, organic, effect of, on iron uptake of reticulocytes in vitro, 275
Iron—Cont'd
stores, do affect absorption and distribution of iron in pregnancy? 747
Isolation of leukemic blasts from peripheral blood by density gradient centrifugation, 703
Isotope dilution techniques, double, appraisal of, for measurement of plasma aldosterone, 347

J

Jugular vein shunt, use of, in rat bioassay, 1017

K

Kidney cortex, human and rat, cycloleucine inhibition of amino acid transport in, 818

L

Label for erythrocytes, leukocytes, and platelets in man, selenium-75 selenomethionine as, 472
Labeled, specifically, radiochemically stable ^{3}H-bilirubin, preparation and properties of, 499
Labeling of dicarboxylic amino acids and their amides by glucose and acetate in human platelets, 234
Lactate dehydrogenase characteristics of rabbit alveolar and peritoneal macrophages, 721
in uremic dialysates, nature of inhibitors of, 109
Leprosy, studies of immune mechanisms in. II. Quantitative relationships of IgG, IgA, and IgM immunoglobulins, 863
Letter from the Editors, 1
Leukemia, chronic lymphocytic, chromatin and other cytologic indices in, 217
Leukemic blasts, isolation of, from peripheral blood by density gradient centrifugation, 703
granulocytes, human, changes in fatty acid metabolism in, during phagocytosis, 659
Leukocytes, erythrocytes, and platelets in man, selenium-75 seleno-methionine as label for, 472
Leukocytic pyrogen, human, factors affecting quantitative production and assay of, 679
Light chain, immunoglobulin, and whole IgG excretion, urinary, in normal human subjects and patients with immune-related disorders, application of modified technique to study, 636
Lipemia, alimentary, enhancement of, by ethanol in man, 264
Lipid alterations, lipoprotein, with cholestyramine administration, 953

XUM

Lipid—Cont'd
composition, erythrocyte membrane, in exogenous and endogenous hypertriglyceridemia, 53
high energy phosphate, and glycogen stores in hearts from conditioned rats, 924
peroxides in platelets, studies on. I. Method of assay and effect of storage, 283
Lipolysis by human adipose tissue: role of cyclic 3′,5′-adenosine monophosphate and adrenergic receptor sites, 983
Lipoprotein (β-), serum γG-globulin and, streptolysin O inhibition by, after blocking of nonesterified cholesterol by digitonin, 975
lipid alterations with cholestyramine administration, 953
very low density, changes in composition of, during carbohydrate induction in man, 206
Liquid (gas-) chromatography, quantitative assay of 5,5-diphenylhydantoin (Dilantin) and 5-(*p*-hydroxyphenyl)-5-phenylhydantoin by, 145
Liver, cirrhosis of, mercaptans and dimethyl sulfide in breath of patients with, 628
volatile fatty acids in breath of patients with, 622
Lymphocytes, human peripheral blood, synthesis of transferrin by, 250
Lymphocytic leukemia, chronic, chromatin and other cytologic indices in, 217

M

Macroaggregates, albumin, and measurements of regional blood flow: validity and application of particle sizing by Coulter counter, 336
Macrophages, alveolar and peritoneal, rabbit, lactate dehydrogenase characteristics of, 721
Magnesium, calcium and, evidence that glucose ingestion inhibits net renal tubular reabsorption of, in man, 578
Malaria, naturally acquired human, reticuloendothelial system phagocytic function in, 481
Melphalan chemotherapy, effect of: normal immunoglobulins in multiple myeloma, 225
Membrane(s), human erythrocyte, transfer of inorganic phosphate across, 422
lipid composition, erythrocyte, in exogenous and endogenous hypertriglyceridemia, 53
Mercaptans and dimethyl sulfide in breath of patients with cirrhosis of liver, 628
Metabolism of connective tissues in the rat, effect of cortisone on, 826
Metabolism—Cont'd
fatty acid, in human leukemic granulocytes, changes in, during phagocytosis, 659
prothrombin, and distribution in calves, studies of effects of heparin, Coumadin, and vitamin K on, with use of iodine-125–prothrombin, 355
Metabolites, urinary tryptophan, excretion of, by patients with congenital hypoplastic anemia (Diamond-Blackfan syndrome), 316
Methionine (seleno-), selenium-75, as label for erythrocytes, leukocytes, and platelets in man, 472
Methylcolanthrene, 3-, and allylisopropylacetamide, pharmacologic induction of serum hemopexin by, 694
Micromethod for determination of serum thyroxine: studies on serum thyroxine concentrations and thyroxine binding in rat serum, 325
simple rapid, for detecting chronic granulomatous disease of childhood, 511
Microsomal heme oxygenase, stimulation of, by hemin: enzymatic catabolism of hemoglobin, 410
Molecular characteristics, some, of human urinary erythropoietin determined by gel filtration and density-gradient ultracentrifugation, 771
Monophosphate, cyclic 3′,5′-adenosine, and adrenergic receptor sites, role of: lipolysis by human adipose tissue, 983
Mucosal epithelial cells, small bowel, preparation of suspensions of, 1026
Muramidase, plasma: study of methods and clinical applications, 83
Myeloma, multiple, normal immunoglobulins in: effect of melphalan chemotherapy, 225

N

Newborns and infants, serological diagnosis of arbovirus infections in, 457
Nucleotides, adenine, and platelet factor 4, release of, from platelets of man and four other species, 607
stimulation of insulin and growth hormone secretion, in primates, 30

O

Organelles, cellular, in experimental potassium depletion cardiomyopathy, adenosinetriphosphatase activity of, 185
Organic iron compounds, effect of, on iron uptake of reticulocytes in vitro, 275
Ouabain (^{3}H-), intestinal absorption of: demonstration of nonsaturable transport process, 43

Oxidative phosphorylation, uncoupling of, by purified staphylococcal alpha toxin, 442
Oxygenase, microsomal heme, stimulation of, by hemin: enzymatic catabolism of hemoglobin, 410

P

Particle sizing by Coulter counter, validity and application of: albumin macroaggregates and measurements of regional blood flow, 336
Pentamidine (4,4′-diamidinophenoxypentane), determination of, in plasma, urine, and tissues, 871
Peptides lacking tyrosine, radioimmunoassay of, 886
Peritoneal macrophages, alveolar and, rabbit, lactate dehydrogenase characteristics of, 721
Pernicious anemia, hidden gastric autoantibodies to intrinsic factor in, 449
Peroxides, lipid, in platelets, studies on. I. Method of assay and effect of storage, 283
Phagocytic function, reticuloendothelial system, in naturally acquired human malaria, 481
Phagocytosis, changes in fatty acid metabolism in human leukemic granulocytes during, 659
Pharmacologic, biochemical and, effects of L-asparaginase in man, 763
induction of serum hemopexin by 3-methylcolanthrene and allylisopropylacetamide, 694
Pharynx, human, role of bacterial antagonism in pneumococcal colonization, 946
Phenylhydantoin [5-(*p*-hydroxyphenyl)-5-], 5,5-diphenylhydantoin (Dilantin) and, quantitative assay of, by gas-liquid chromatography, 145
Phosphate buffer, sodium, 0.1M, pH 5.8, ^{57}Co vitamin B_{12} binder in normal serum eluted by DEAE-cellulose chromatography with, 673
glucose-6-, dehydrogenase deficiency in Chinese subjects, further studies on, 788
–deficient erythrocytes, poststorage viability of, 930
high energy, glycogen, and lipid stores in hearts from conditioned rats, 924
inorganic, transfer of, across human erythrocyte membranes, 422
Phosphorylation, oxidative, uncoupling of, by purified staphylococcal alpha toxin, 442
Photoelectric method of blood pressure measurement in the rat, 879
Phytohemagglutinin, in vivo, septic survival of rabbits induced by, 967
Plasma aldosterone, appraisal of double isotope dilution techniques for measurement of, 347
muramidase: study of methods and clinical applications, 83
Plasma—Cont'd
proteins, binding of urate to, determined by means of equilibrium dialysis, 503
15, renal clearance of, in renal disease, 297
urine, and tissues, determination of pentamidine (4,4′-diamidinophenoxypentane) in, 871
volume, new method for estimation of, with use of distribution space of indium-113m–transferrin, 711
Platelet(s) aggregation, adenosine-diphosphate–induced, effect of glucose on, 780
factor 4, adenine nucleotides and, release of, from platelets of man and four other species, 607
function studies in human beings receiving 300 mg. of aspirin per day, 463
human, labeling of dicarboxylic amino acids and their amides by glucose and acetate in, 234
leukocytes, and erythrocytes in man, selenium-75 seleno-methionine as label for, 472
release reaction, thrombin-induced, selectivity of: subcellular localization of released and retained constituents, 840
studies on lipid peroxides in. I. Method of assay and effect of storage, 283
Pneumococcal colonization of human pharynx, role of bacterial antagonism in, 946
Polycythemic mice, mode of action of erythropoietin in. I. Response in mice treated with 5-fluorouracil, 74
Portal cirrhosis and idiopathic hemochromatosis, alteration of cobalt absorption in, 754
Potassium chloride, effect of, on intestinal blood flow, 729
depletion cardiomyopathy, experimental, adenosinetriphosphatase activity of, 185
Pregnancy, do iron stores affect absorption and distribution of iron in? 747
Preservation of blood for transfusion. VII. Effect of adenine and inosine on adenosine triphosphate and viability of red cells when added to blood stored from zero to seventy days at 1° C., 244
of human blood, studies on. V. The effect of mixing anticoagulated blood during storage on poststorage erythrocyte survival, 37
Presidential Address, 6
Pressure measurement, blood, photoelectric method of, in the rat, 879
Proline hydroxylase activity, protocollagen, in experimental pulmonary fibrosis of rats, 535
Proteins, 15 plasma, renal clearance of, in renal disease, 297

XUM

Proteins—Cont'd
other serum, and serum concentration of transferrin, in human subjects, effect of hypoxia on, 1006
plasma, binding of urate to, determined by means of equilibrium dialysis, 503
Proteinuria, selectivity of: evaluation of immunochemical and gel filtration techniques, 586
urinary excretion of ceruloplasmin in patients with, with special reference to ceruloplasmin fractions, 403
Prothrombin in factor X deficiency, 120
iodine-125–, studies of effects of heparin, Coumadin, and vitamin K on prothrombin metabolism and distribution in calves with use of, 355
metabolism and distribution in calves, studies of effects of heparin, Coumadin, and vitamin K on, with use of iodine-125–prothrombin, 355
Protocollagen proline hydroxylase activity in experimental pulmonary fibrosis of rats, 535
Pseudomonas infection, human, serologic response in, 128
Pulmonary bactericidal function, effect of acidosis on, 912
fibrosis, experimental, of rats, protocollagen proline hydroxylase activity in, 535
Pyrogen, human leukocytic, factors affecting quantitative production and assay of, 679

R

Radiocalcium in bone, autoradiographic method for quantitation of deposition and distribution of, 520
Radiochemically stable, specifically labeled, ^{3}H-bilirubin, preparation and properties of, 499
Radioimmunoassay, human follicle-stimulating hormone, characterization of antisera for, 1030
of peptides lacking tyrosine, 886
Radiometric detection, automated, of bacterial growth in blood cultures, 529
Reabsorption, net renal tubular, of calcium and magnesium in man, evidence that glucose ingestion inhibits, 578
Red cell(s) aldolase and other enzyme activities in hereditary spherocytosis, 654
viability of, adenosine triphosphate and, effect of adenine and inosine on, when added to blood stored from zero to seventy days at 1° C.: preservation of blood for transfusion; VII, 244
Renal clearance of 15 plasma proteins in renal disease, 297
disease, urine insulin in, 998
Renal—Cont'd
tubular reabsorption, net, of calcium and magnesium in man, evidence that glucose ingestion inhibits, 578
Respiratory hydrogen (H_2) excretion, use of, to detect carbohydrate malabsorption, 937
Reticulocytes in vitro, effect of organic iron compounds on iron uptake of, 275
Reticuloendothelial system phagocytic function in naturally acquired human malaria, 481

S

Salivary IgA, origin of, 856
Sarcoidosis, cultures of human tissues for studies on delayed allergy with observations on, 488
Secretion, growth hormone, stimulation of insulin and, by adenine nucleotides in primates, 30
Selenium-75 seleno-methionine as label for erythrocytes, leukocytes, and platelets in man, 472
Seleno-methionine, selenium-75, as label for erythrocytes, leukocytes, and platelets in man, 472
Septic survival of rabbits induced by in vivo phytohemagglutinin, 967
Serodiagnosis of coccidioidomycosis, spherules in, 197
Serologic response in human Pseudomonas infection, 128
Serological diagnosis of arbovirus infections in newborns and infants, 457
Serum concentration of transferrin and other serum proteins in human subjects, effect of hypoxia on, 1006
cryoproteins in glomerulonephritis, studies on nature, incidence, and clinical significance of: cryoglobulins; I, 566
fluoride analysis with fluoride electrode, 1020
γG-globulin and β-lipoprotein, streptolysin O inhibition by, after blocking of nonesterified cholesterol by digitonin, 975
hemopexin, pharmacologic induction of, by 3-methylcolanthrene and allylisopropylacetamide, 694
human, inhibition of human skin collagenase by, 258
measurement of fibrinogen and fibrin degradation products in, by staphylococcal clumping test, 93
normal, ^{57}Co vitamin B_{12} binder in, eluted by DEAE-cellulose chromatography with 0.1M sodium phosphate buffer, pH 5.8, 673
thyroxine, micromethod for determination of: studies on serum thyroxine concentrations and thyroxine binding in rat serum, 325
Shunt, jugular vein, use of, in rat bioassay, 1017

Skin collagenase, human, inhibition of, by human serum, 258
Sodium phosphate buffer, 0.1M, pH 5.8, ^{57}Co vitamin B_{12} binder in normal serum eluted by DEAE-cellulose chromatography with, 673
sulfobromophthalein, direct assessment of importance of conjugation for biliary transport of, 542
Sol phase of sputum, electrophoretic study of, 382
Spherocytosis, hereditary, red cell aldolase and other enzyme activities in, 654
Spherules in serodiagnosis of coccidioidomycosis, 197
Spleen, effects of, on canine factor VIII levels, 391
Sputum, electrophoretic study of sol phase of, 382
Staphylococcal alpha toxin, uncoupling of oxidative phosphorylation by, 442
clumping test, measurement of fibrinogen and fibrin degradation products in serum by, 93
Stomach, dog, contributions of anaerobic mechanisms to hydrogen ion transport in, 61
Streptolysin O inhibition by serum γG-globulin and β-lipoprotein after blocking of nonesterified cholesterol by digitonin, 975
Sulfide, dimethyl, mercaptans and, in breath of patients with cirrhosis of liver, 628
Sulfobromophthalein sodium, direct assessment of importance of conjugation for biliary transport of, 542
Suspensions of small bowel mucosal epithelial cells, preparation of, 1026
Syndrome, Diamond-Blackfan (congenital hypoplastic anemia), excretion of urinary tryptophan metabolites by patients with, 316
Synovial fibroblast cultures, human, regulation of collagen and hyaluronate formation in, 798
Synthesis, duodenal ferritin, during iron absorption in the iron-deficient rat, 811
immunoglobulin, in lower urinary tract infection, 19
of transferrin by human peripheral blood lymphocytes, 250
Synthetase activity, hepatic δ-aminolevulinic acid, semimicroassay method for, 137
Syringe-activated event marker, 156

T

Test, staphylococcal clumping, measurement of fibrinogen and fibrin degradation products in serum by, 93
xylose tolerance, in tropics, interpretation and significance of, 558
Thrombin-induced platelet release reaction, selectivity of: subcellular localization of released and retained constituents, 840
Thrombolytic therapy, antigenic studies in patients following: urokinase, 619
Thyroxine, serum, micromethod for determination of: studies on serum thyroxine concentrations and thyroxine binding in rat serum, 325
Tissue(s), connective, in rat, effect of cortisone on metabolism of, 826
human adipose, lipolysis by: role of cyclic 3′,5′-adenosine monophosphate and adrenergic receptor sites, 983
cultures of, for studies on delayed allergy with observations on sarcoidosis, 488
plasma, and urine, determination of pentamidine (4,4′-diamidinophenoxypentane) in, 871
Toxin, staphylococcal alpha, uncoupling of oxidative phosphorylation by, 442
Transferrin, indium-113m–, new method for estimation of plasma volume with use of distribution space of, 711
serum concentration of, and other serum proteins in human subjects, effect of hypoxia on, 1006
synthesis of, by human peripheral blood lymphocytes, 250
Transfusion, preservation of blood for. VII. Effect of adenine and inosine on adenosine triphosphate and viability of red cells when added to blood stored from zero to seventy days at 1° C., 244
Triphosphate, adenosine, and viability of red cells, effect of adenine and inosine on, when added to blood stored from zero to seventy days at 1° C.: preservation of blood for transfusion; VII, 244
Tryptophan metabolites, urinary, excretion of, by patients with congenital hypoplastic anemia (Diamond-Blackfan syndrome), 316
Tubular reabsorption, net renal, of calcium and magnesium in man, evidence that glucose ingestion inhibits, 578
Tyrosine, radioimmunoassay of peptides lacking, 886

U

Ultracentrifugation, density-gradient, gel filtration and, some molecular characteristics of urinary erythropoietin determined by, 771
Urate, binding of, to plasma proteins determined by means of equilibrium dialysis, 503
Uremic dialysates, nature of inhibitors of lactate dehydrogenase in, 109
Urinary catecholamines, acid hydrolysis of, 159

XUM

Urinary—Cont'd
erythropoietin, some molecular characteristics of, determined by gel filtration and density-gradient ultracentrifugation, 771
excretion of ceruloplasmin in patients with proteinuria with special reference to ceruloplasmin fractions, 403
immunoglobulin light chain and whole IgG excretion in normal human subjects and patients with immune-related disorders, application of modified technique to study, 636
total and free hydroxyproline excretion, circadian rhythm of, and its relation to creatinine excretion, 11
tract infection, lower, immunoglobulin synthesis in, 19
tryptophan metabolites, excretion of, by patients with congenital hypoplastic anemia (Diamond-Blackfan syndrome), 316
Urine insulin in renal disease, 998
tissues, and plasma, determination of pentamidine (4,4′-diamidinophenoxypentane) in, 871
Urine—Cont'd
volume and catecholamine excretion, 166
Urokinase: antigenic studies in patients following thrombolytic therapy, 619

V

Vein shunt, jugular, use of, in rat bioassay, 1017
Viability, poststorage, of glucose-6-phosphate dehydrogenase–deficient erythrocytes, 930
Vitamin B_{12} binder, ^{57}Co, in normal serum eluted by DEAE-cellulose chromatography with 0.1M sodium phosphate buffer, pH 5.8, 673
K, heparin, and Coumadin, studies of effects of, on prothrombin metabolism and distribution in calves with use of iodine-125–prothrombin, 355

X

Xylose tolerance test in tropics, interpretation and significance of, 558

The Journal of
LABORATORY and CLINICAL MEDICINE

WILLIAM E. CONNOR and
HAROLD P. SCHEDL, *Editors*
FRANCOIS M. ABBOUD, *Associate Editor*
Iowa City, Iowa

Board of editors

ELLIS S. BENSON
Minneapolis, Minn.

NORBERT FREINKEL
Chicago, Ill.

KEITH S. HENLEY
Ann Arbor, Mich.

GEORGE GEE JACKSON
Chicago, Ill.

ROBERT H. PALMER
Chicago, Ill.

JOSEPH C. ROSS
Indianapolis, Ind.

LEROY SHEAR
Philadelphia, Pa.

LEIF B. SORENSEN
Chicago, Ill.

JOHN S. THOMPSON
Chicago, Ill.

ADEL A. YUNIS
Miami, Fla.

VOLUME 76
July—December, 1970

THE C. V. MOSBY COMPANY
St. Louis
1970

XUM

VOLUME 76

Copyright © 1970 by

THE C. V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

1050

Index to Volume 76

Author index*

A

ADIBI, SIAMAK A., AND DRASH, ALLAN L. With the technical assistance of LIVI, EMILE D. Hormone and amino acid levels in altered nutritional states, 722

AGUS, ZALMAN S., AND GOLDBERG, MARTIN. Renal mechanisms of the natriuretic and antiphosphaturic effects of triflocin—a new diuretic, 280

AINSWORTH, THOMAS E. (*See* Hatch et al.), 632

ALFORD, CHARLES A., JR. (*See* Bentley, Alford, and Diseker), 311

AOYAGI, TOSHIO. (*See* Sasaki et al.), 824

ASHFORD, THOMAS. (*See* Deykin, Silversmith, and Ashford), 761

ASTRUP, TAGE. (*See* Moskowitz et al.), 790

ATWOOD, WILLIAM G. (*See* Einbinder, Atwood, and Miller), 961

AYOUB, ELIA M., AND DUDDING, BURTON A. Streptococcal group A carbohydrate antibody in rheumatic and nonrheumatic bacterial endocarditis, 322

AZAR, SILVIA H. (*See* Hatch et al.), 632

B

BACHER, R. P., AND WILLIAMS, MICHAEL C. Hemolysis in capillary flow, 485

BAKER, HERMAN. (*See* Thomson, Baker, and Leevy), 34

BAKKE, JOHN L., GELLERT, RONALD J., AND LAWRENCE, NANCY L. The persistent effects of perinatal hypothyroidism on pituitary, thyroidal, and gonadal functions, 25

BANK, ARTHUR, O'DONNELL, JOYCE V., AND BRAVERMAN, ALBERT S. Globin chain synthesis in heterozygotes for beta chain mutations, 616

BARTELLONI, PETER J. (*See* Pekarek et al.), 293

BARTER, PHILIP J., AND NESTEL, PAUL J. The distribution of triglyceride in subclasses of very low intensity plasma lipoproteins, 925

BAYLESS, THEODORE M. (*See* Sasaki et al.), 824

BEAR, EDWARD S. (*See* James et al.), 240

BECKNER, W. M. (*See* Leu et al.), 432

BEISEL, WILLIAM R. (*See* Pekarek et al.), 293

BENNER, R. (*See* Strumia, Strumia, and Eusebi), 907

BENTLEY, HERSCHEL P., JR., ALFORD, CHARLES A., JR., AND DISEKER, MAUDE. Erythrocyte glucose consumption in the neonate, 311

BERLINGER, FREDERICK G. (*See* Lucas et al.), 689

BEUTLER, ERNEST, AND KUHL, WANDA. The diagnosis of the adult type of Gaucher's disease and its carrier state by demonstration of deficiency of β-glucosidase activity in peripheral blood leukocytes, 747

BINDER, HENRY J., AND PTAK, THEODORE. Jejunal absorption of water and electrolytes in inflammatory bowel disease, 915

BLAKEMORE, WILLIAM S. (*See* Thind et al.), 560

BLUESTONE, RODNEY, KIPPEN, IAN, KLINENBERG, JAMES R., AND WHITEHOUSE, MICHAEL W. Effect of some uricosuric and anti-inflammatory drugs on the binding of uric acid to human serum albumin in vitro, 85

BOOTH, BERNARD H., PATTERSON, ROY, AND TALBOT, CATHARINE H. Immediate-type hypersensitivity in dogs: Cutaneous, anaphylactic, and respiratory responses to Ascaris, 181

BOSMAN, CESARE. (*See* Muller-Eberhard, Bosman, and Liem), 426

BOSTIAN, KAREN A. (*See* Pekarek et al.), 293

BRADLEY, EDWIN M. (*See* Lipman et al.), 221

BRAVERMAN, ALBERT S. (*See* Bank, O'Donnell, and Braverman), 616

BRISSON, GUY. (*See* Malaisse, Brisson, and Malaisse-Lagae), 895

BROWN, G. B. (*See* Muirhead et al.), 641

BROWN, J. MARTIN, AND GOFFINET, DON R. A technique for intra-articular infusion of tumor-bearing mice, 175

BRUMBAUGH, JOSEPHINE L. (*See* St. Geme et al.), 213

BUCKLE, R. M., AND POTTS, J. T., JR. Assessment of damage to I^{131}-labeled parathyroid hormone by chromatoelectrophoresis and adsorption onto dextran-charcoal, 46

*July, pp. 1-180; August, pp. 181-356; September, pp. 357-536; October, pp. 537-712; November, pp. 713-894; December, pp. 895-1070.

BURGHEN, GEORGE A. (*See* Pekarek et al.), 293
BURNS, M. E. (*See* Strumia, Strumia, and Eusebi), 907

C

CALIA, FRANK M. (*See* Pekarek et al.), 293
CAMERON, DOROTHY. (*See* Necheles, Rai, and Cameron), 593
CARMODY, SHARON. (*See* Perry et al.), 114
CARUSO, CARMINE J. (*See* Sass and Caruso), 523
CASSEN, BENEDICT. (*See* Oberjat, Zucker, and Cassen), 518
CHARTOCK, P. (*See* Strumia, Strumia, and Eusebi), 907
CHEN, T. S. M. (*See* Leu et al.), 432
CHOW, DONALD C., KAWAHARA, FRANK S., SAUNDERS, TREVANIA, AND SORENSON, LIEF B. A new assay method for hypoxanthine-guanine phosphoribosyltransferase, 733
CHRISTOPHER, NICHOLAS L. (*See* Sasaki et al.), 824
COFFMAN, JAY D. Skin blood flow in scleroderma, 480
COHEN, EDWIN L. (*See* Lucas et al.), 689
COLWELL, WILLIAM T., JR. (*See* Peters, Gordon, and Colwell), 338
COMBES, BURTON. (*See* Whelan et al.), 775
CONN, H. O., AND DAUGHADAY, W. H. Cirrhosis and diabetes. V. Serum human growth hormone levels in Laennec's cirrhosis, 678
CONN, JEROME W. (*See* Lucas et al.), 689
CONTI, S. ARTHUR (*See* Knospe et al.), 584
COOK, JAMES D. An evaluation of adsorption methods for measurement of plasma iron-binding capacity, 497
COOPER, MAX D. (*See* Herrod et al.), 1
CORNWELL, GIBBONS G., III. (*See* Lau, Cornwell, and Williams), 739
CRADDOCK, CHARLES G. (*See* McMillan et al.), 333
CROWELL, JACK W. (*See* Jones et al.), 163
CULBERTSON, JAMES W. (*See* Hatch et al.), 632

D

DANSBIE, MAX. (*See* Knospe et al.), 584
DAUGHADAY, W. H. (*See* Conn and Daughaday), 678
DENNEY, JOHN D. (*See* Nelp et al.), 151
DEYKIN, DANIEL, SILVERSMITH, PETER, AND ASHFORD, THOMAS. A serum-induced defect in fibrin formation, 761
DI LUZIO, N. R. (*See* Pisano, Di Luzio, and Salky), 141
DISEKER, MAUDE. (*See* Bentley, Alford, and Diseker), 311
DODDS, W. JEAN. Canine von Willebrand's disease, 713
DRASH, ALLAN L. (*See* Adibi and Drash), 722
DRESCHER, WILLIAM P. (*See* MacIntyre et al.), 701
DUDDING, BURTON A. (*See* Ayoub and Dudding), 322
DUGAN, A. (*See* Strumia, Strumia, and Eusebi), 907
DUKES, PETER P., HAMMOND, DENMAN, SHORE, NOMIE A., AND ORTEGA, JORGE A. Erythropoietin: A complex with different in vivo and in vitro activities, 439
DUVALL, C. H. (*See* Liberti et al.), 530

E

EINBINDER, JULIA M., ATWOOD, WILLIAM G., AND MILLER, J. LOWRY. The fluorescent treponemal antibody-absorption test: A micromethod, 961
EKNOYAN, G., SUKI, W. N., AND MARTINEZ-MALDONADO, M. Effect of diuretics on urinary excretion of phosphate, calcium, and magnesium in thyroparathyroidectomized dogs, 257
ELLIS, GRAHAM, AND GOLDBERG, DAVID M. A reduced nicotinamide adenine dinucleotide-linked kinetic assay for adenosine deaminase activity, 507
EUSEBI, ALBERT J. (*See* Strumia, Strumia, and Eusebi), 907

F

FINNE, PER H., AND SKOGLUND, ROY W. Erythropoietin production in the rat following splanchnic neurectomy, 103
FONG, JACK SUN-CHIK, GOOD, ROBERT A., AND GEWURZ, HENRY. A simple diagnostic test for hereditary angioneurotic edema, 836
FORBES, CHARLES D., PENSKY, JACK, AND RATNOFF, OSCAR D. Inhibition of activated Hageman factor and activated plasma thromboplastin antecedent by purified serum $C\bar{1}$ inactivator, 809
FRIED, WALTER (*See* Knospe et al.), 584
FRINK, RICHARD J. (*See* James et al.), 240
FUKUCHI, SOITSU (*See* Lucas et al.), 689

G

GAAFAR, HASSAN A. (*See* Newman, Stevens, and Gaafar), 107
GELLERT, RONALD J. (*See* Bakke, Gellert, and Lawrence), 25
GERMAIN, G. S. (*See* Muirhead et al.), 641
GEWURZ, HENRY. (*See* Fong, Good, and Gewurz), 836
GOFFINET, DON R. (*See* Brown and Goffinet), 175
GOLDBERG, DAVID M. (*See* Ellis and Goldberg), 507
GOLDBERG, MARTIN. (*See* Agus and Goldberg), 280
GONICK, HARVEY C. (*See* Kramer and Gonick), 799
GOOD, ROBERT A. (*See* Fong, Good, and Gewurz), 836
GORDON, G. ROSS. (*See* Peters, Gordon, and Colwell), 338

GOYER, ROBERT A. (*See* Six and Goyer), 933
GRADY, HAROLD. (*See* Hellerstein, Grady, and Grisolia), 171
GREENE, JAMES A., JR. (*See* Meengs, Greene, and Weller), 903
GREGORY, STEPHANIE ANN. (*See* Knospe et al.), 584
GRISOLIA, SANTIAGO. (*See* Hellerstein, Grady, and Grisolia), 171
GURNEY, CLIFFORD. (*See* Saidi and Gurney), 659

H

HAHN, HENRY K. J., YOONG, MATTHIAS, AND RACK, EDWARD P. Radiometric analysis of serum and tissue proteins, 965
HALME, JOUKO. (*See* Lindy et al.), 756
HAMMOND, DENMAN. (*See* Dukes et al.), 439
HAMPERS, CONSTANTINE L. (*See* Lowrie et al.), 603
HATCH, FRED E., JR., AZAR, SILVIA H., AINSWORTH, THOMAS E., NARDO, JOHN M., AND CULBERTSON, JAMES W. Renal circulatory studies in young adults with sickle cell anemia, 632
HARRIS, JOHN W. (*See* Messer and Harris), 537
HELGESON, MARGARET. (*See* Polesky and Helgeson), 134
HELLERSTEIN, STANLEY, GRADY, HAROLD, AND GRISOLIA, SANTIAGO. Normal values of red cell 2,3-diphosphoglycerate by a simplified automated method, 171
—, SPEES, WILLIAM, AND SURAPATHANA, LA-OR. Hemoglobin concentration and erythrocyte cation content, 10
HERROD, HENRY G., MYERS, MARTHA, SELF, KARL S., AND COOPER, MAX D. Suppression of IgM and IgG synthesis in young rabbits by 6-methyl mercaptopurine treatment, 1
HERZIG, ROGER H., RATNOFF, OSCAR D., AND SHAINOFF, JOHN R. Studies on a procoagulant fraction of southern copperhead snake venom: The preferential release of fibrinopeptide, 451
HICKS, WILLIAM. (*See* Jones et al.), 163
HINN, GERVAS M. (*See* Nelp et al.), 151
HOCH, JANE. (*See* Whelan et al.), 775
HOLLEY, KEITH E. (*See* Jowsey, Holley, and Linman), 126
HORWITZ, DAVID A., STASTNY, PETER, AND ZIFF, MORRIS. Circulating deoxyribonucleic acid-synthesizing mononuclear leukocytes. I. Increased numbers of proliferating mononuclear leukocytes in inflammatory disease, 391

I

IIO, MASAHIRO. (*See* Sasaki et al.), 824
INKLEY, SCOTT R. (*See* MacIntyre et al.), 701
ISHII, YASUSHI. (*See* MacIntyre et al.), 701

J

JAENIKE, JOHN R. The renal response to ureteral obstruction: A model for the study of factors which influence glomerular filtration pressure, 373
JAMES, THOMAS N., BEAR, EDWARD S., FRINK, RICHARD J., LANG, KLAUS F., AND TOMLINSON, JOHN C. Selective stimulation, suppression, or blockade of the atrioventricular node and His bundle, 240
JONES, CARL E., SMITH, ELVIN E., HICKS, WILLIAM, AND CROWELL, JACK W. Determination of urinary purines in hyperuricosuric children by thin-layer chromatography, 163
JOWSEY, JENIFER, HOLLEY, KEITH E., AND LINMAN, JAMES W. Effect of sodium etidronate in adult cats, 126

K

KAMEDA, HARUO. (*See* Sasaki et al.), 824
KARHANPÄÄ, KARL. (*See* Lindy et al.), 756
KARHUNEN, PEKKA. (*See* Lindy et al.), 756
KARREMAN, GEORGE. (*See* Thind et al.), 560
KAWAHARA, FRANK S. (*See* Chow et al.), 733
KIPPEN, IAN. (*See* Bluestone et al.), 85
KLEEMAN, CHARLES G. (*See* Villamil et al.), 383
KLINENBERG, JAMES. (*See* Bluestone et al.), 85
KODETTHOOR, B. UDUPA. (*See* Reissmann, Kodetthoor, and Okamura), 652
KOLETSKY, SIMON, AND RIVERA-VELEZ, JOSE M. Factors determining the success or failure of nephrectomy in experimental renal hypertension, 54
KNOSPE, WILLIAM H., FRIED, WALTER, GREGORY, STEPHANIE ANN, SASSETTI, RICHARD J., AND TROBAUGH, FRANK E. With the technical assistance of DANSBIE, MAX, AND CONTI, S. ARTHUR. Effect of a noncellular spleen-derived factor on recovery of hematopoietic stem cells from irradiation, 584
KRAMER, HERBERT J., AND GONICK, HARVEY C. Experimental Fanconi syndrome. I. Effect of maleic acid on renal cortical Na-K-ATPase activity and ATP levels, 799
KUHL, WANDA. (*See* Beutler and Kuhl), 747

L

LAFFIN, ROBERT J. A simple immunologic method for the quantitation of immunoglobulin G in human cerebrospinal fluid, 816
LANG, KLAUS F. (*See* James et al.), 240
LAU, PETER, CORNWELL, GIBBONS G., III, AND WILLIAMS, WILLIAM J. Mucopolysaccharide synthesis by human bone marrow in short-term suspension cultures, 739
LAWRENCE, NANCY L. (*See* Bakke, Gellert, and Lawrence), 25

LEACH, B. E. (*See* Muirhead et al.), 641
LECOCQ, FRANK R. (*See* Lipman et al.), 221
LEEVY, CARROLL M. (*See* Thomson, Baker, and Leevy), 34
LEU, M. L., STRICKLAND, G. T., BECKNER, W. M., CHEN, T. S. M., WANG, C. C., AND YEH, S. J. Muscle copper, zinc, and manganese levels in Wilson's disease: Studies with the use of neutron-activation analysis, 432
LEWIS, JERRY P. (*See* O'Grady and Lewis), 444
LIBERTI, J. P., DUVALL, C. H., MACKLER, M. A., AND PROUT, G. R., JR. The measurement of testosterone in male plasma by competitive protein binding, 530
LICHTMAN, MARSHALL A., AND MILLER, DENIS R. Erythrocyte glycolysis 2,3-diphosphoglycerate and adenosine triphosphate in uremic subjects: Relationship to extracellular phosphate concentration, 267
LIEM, HAM HENG. (*See* Muller-Eberhard, Bosman, and Liem), 426
LINDY, SEPPO, KARHANPÄÄ, KARI, KARHUNEN, PEKKA, HALME, JOUKO, AND UITTO, JOUNI. Lactate dehydrogenase isoenzymes during the development of experimental fibrosis, 756
LINMAN, JAMES W. (*See* Jowsey, Holley, and Linman), 126
LIPMAN, RICHARD L., SCHNURE, JOEL J., BRADLEY, EDWIN M., AND LECOCQ, FRANK R. Impairment of peripheral glucose utilization in normal subjects by prolonged bed rest, 221
LIVI, EMILE D. (*See* Adibi and Drash), 722
LONGMIRE, ROBERT L. (*See* McMillan et al.), 333
LOWRIE, EDMUND G., JR., SOELDNER, J. STUART, HAMPERS, CONSTANTINE L., AND MERRILL, JOHN P. Glucose metabolism and insulin secretion in uremic, prediabetic, and normal subjects, 603
LUCAS, CHARLES P., FUKUCHI, SOITSU, CONN, JEROME W., BERLINGER, FREDERICK G., WALDHAUSL, WERNER-KLAUS, COHEN, EDWIN L., AND ROVNER, DAVID R. Purification of human renin, 689

M

MCCANDLESS, D. W. (*See* Walker et al.), 569
MCCURDY, PAUL R., AND MAHMOOD, LAVIZA. Red cell glucose-6-phosphate dehydrogenase deficiency in Pakistan, 943
MCGARRY, J. D. (*See* Walker et al.), 569
MACINTYRE, WILLIAM J., INKLEY, SCOTT R., ROTH, ELAINE, DRESCHER, WILLIAM P., AND ISHII, YASUSHI. Spatial recording of disappearance constants of xenon-133 washout from the lung, 701
MACKLER, M. A. (*See* Liberti et al.), 530
MCMILLAN, ROBERT, SMITH, RICHARD S., LONGMIRE, ROBERT L., REID, ROBERT T., AND CRADDOCK, CHARLES G. Immunoglobulin synthesis by blood lymphocytes—method of quantitation and the effect of phytohemagglutinin, 333
MADDISON, SHIRLEY E. (*See* Reimer et al.), 949
MAHMOOD, LAVIZA. (*See* McCurdy and Mahmood), 943
MALAISSE, WILLY J., BRISSON, GUY, AND MALAISSE-LAGAE, FRANCINE. The stimulus-secretion coupling of glucose-induced insulin release. I. Interaction of epinephrine and alkaline earth cations, 895
MALAISSE-LAGAE, FRANCINE. (*See* Malaisse, Brisson, and Malaisse-Lagae), 895
MARTINEZ-MALDONADO, M. (*See* Eknoyan, Suki, and Martinez-Maldonado), 257
MAYS, BENITA B. (*See* Southern et al.), 548
MEENGS, WILLIAM, GREENE, JAMES A., JR., AND WELLER, JOHN M. Peritoneal clearance of urea and potassium and protein removal during acute peritonitis in dogs, 903
MENNINGER, FLORIAN F., JR. (*See* Molinari, Menninger, and Rosenkrantz), 466
MERRILL, JOHN P. (*See* Lowrie et al.), 603
MESSER, MICHAEL J., AND HARRIS, JOHN W. Filtration characteristics of sickle cells: Rates of alteration of filterability after deoxygenation and reoxygenation, and correlations with sickling and unsickling, 537
MICHEL, BENO. (*See* Moskowitz et al.), 790
MILLER, DENIS R. (*See* Lichtman and Miller), 267
MILLER, J. LOWRY. (*See* Einbinder, Atwood, and Miller), 961
MILLMAN, MARSHALL S. (*See* Omachi, Scott, and Millman), 668
MOLINARI, PIETRO F., MENNINGER, FLORIAN F., JR., AND ROSENKRANTZ, HARRIS. Detection of an inhibitor of hemoglobin synthesis in rat plasma, 466
MOSKOWITZ, ROLAND W., SCHWARTZ, HOWARD J., MICHEL, BENO, RATNOFF, OSCAR D., AND ASTRUP, TAGE. Generation of kinin-like agents by chondroitin sulfate, heparin, chitin sulfate, and human articular cartilage: Possible pathophysiologic implications, 790
MUELLER, PETER S., AND QUICK, DONALD T. Studies of glucose, insulin, and lipid metabolism in amyotrophic lateral sclerosis and other neuromuscular disorders, 190
MUIRHEAD, E. E., BROWN, G. B., GERMAIN, G. S., AND LEACH, B. E. The renal medullary as an antihypertensive organ, 641
MULLER-EBERHARD, URSULA, BOSMAN, CESARE, AND LIEM, HAM HENG. Tissue localization of the heme-hemopexin complex in the rabbit and the rat as studied by light microscopy with the use of radioisotopes, 426

MURANO, ROBERT. (*See* Nelp et al.), 151
MYERS, MARTHA. (*See* Herrod et al.), 1

N

NAKABAYASHI, NICHOLAS. Gel punch templates for identification of specific immunoelectrophoretic precipitin arcs, 349
NARDO, JOHN M. (*See* Hatch et al.), 632
NATHAN, DAVID G. (*See* Zarkowsky and Nathan), 231
NECHELES, THOMAS F., RAI, UMA S., AND CAMERON, DOROTHY. Congenital nonspherocytic hemolytic anemia associated with an unusual erythrocyte hexokinase abnormality, 593
NELP, WIL B., PALMER, H. E., MURANO, ROBERT, PAILTHORP, KEITH, HINN, GERVAS M., RICH, CLAYTON, WILLIAMS, JAMES L., RUDD, THOMAS G., AND DENNEY, JOHN D. Measurement of total body calcium (bone mass) in vivo with the use of total body neutron activation analysis, 151
NESTEL, PAUL J. (*See* Barter and Nestel), 925
NEWMAN, ROBERT B., STEVENS, ROY W., AND GAAFAR, HASSAN A. Latex agglutination test for the diagnosis of *Haemophilus influenzae* meningitis, 107

O

OBERJAT, THOMAS E., ZUCKER, ROBERT MARTIN, AND CASSEN, BENEDICT. Rapid and reliable differential counts on dilute leukocyte suspensions, 518
OBERLEAS, DONALD. (*See* Prasad and Oberleas), 416
O'DONNELL, JOYCE V. (*See* Bank, O'Donnell, and Braverman), 616
O'GRADY, LOIS F., AND LEWIS, JERRY P. Proliferation of erythroid-committed cells in the absence of erythropoietin, 444
OKAMURA, HIROYASHI. (*See* Reissmann, Kodetthoor, and Okamura), 652
OMACHI, AKIRA, SCOTT, CAROLYN B., AND MILLMAN, MARSHALL S. Influence of prior storage on pyridine nucleotide metabolism of human erythrocytes incubated in vitro, 668
OOI, BOON SENG. (*See* Pollak, Ooi, and Pesce), 357
ORTEGA, JORGE A. (*See* Dukes et al.), 439
OSTERLAND, C. KIRK. (*See* Spilberg and Osterland), 472

P

PAGLIA, DONALD E., AND VALENTINE, WILLIAM N. Evidence for molecular alteration of pyruvate kinase as a consequence of erythrocyte aging, 202
PAILTHORP, KEITH. (*See* Nelp et al.), 151
PAJARI, KAREN L. (*See* St. Geme et al.), 213
PALMER, H. E. (*See* Nelp et al.), 151
PATTERSON, ROY. (*See* Booth, Patterson, and Talbot), 181
PEKAREK, ROBERT S., BURGHEN, GEORGE A., BARTELLONI, PETER J., CALIA, FRANK M., BOSTIAN, KAREN A., AND BEISEL, WILLIAM R. The effect of live attenuated Venezuelan equine encephalomyelitis virus vaccine on serum iron, zinc, and copper concentrations in man, 293
PENSKY, JACK. (*See* Forbes, Pensky, and Ratnoff), 809
PERRY, H. MITCHELL, JR., TAN, ENG M., CARMODY, SHARON, AND SAKAMOTO, ARTHUR. Relationship of acetyl transferase activity to antinuclear antibodies and toxic symptoms in hypertensive patients treated with hydralazine, 114
PESCE, AMADEO J. (*See* Pollak, Ooi, and Pesce), 357
PETERS, JOHN H., GORDON, G. ROSS, AND COLWELL, WILLIAM T., JR. The fluorometric measurement of 4,4′-diaminodiphenyl sulfone and its acetylated derivatives in plasma and urine, 338
PETERSON, JANE. (*See* Zucker and Peterson), 66
PHELPS, PAULDING. Appearance of chemotactic activity following intra-articular injection of monosodium urate crystals: Effect of colchicine, 622
—. (*See* Tse and Phelps), 403
PHILLIPS, DON J. (*See* Reimer et al.), 949
PIERCE, ALAN K. (*See* Southern et al.), 548
PISANO, J. C., DI LUZIO, N. R., AND SALKY, N. K. Absence of macrophage humoral recognition factor(s) in patients with carcinoma, 141
POLESKY, HERBERT F., AND HELGESON, MARGARET. Viability of lymphocytes in stored blood: Response to phytohemagglutinin and to allogenic leukocytes, 134
POLLAK, VICTOR E., OOI, BOON SENG, AND PESCE, AMADEO J. The distribution of serum albumin in the diseased human nephron as demonstrated by immunofluoresence, 357
POTTS, J. T., JR. (*See* Buckle and Potts), 46
PRASAD, ANANDA S., AND OBERLEAS, DONALD. Binding of zinc to amino acids and serum proteins in vitro, 416
PROUT, G. R., JR. (*See* Liberti et al.), 530
PTAK, THEODORE. (*See* Binder and Ptak), 915

Q

QUICK, DONALD T. (*See* Mueller and Quick), 190

R

RACK, EDWARD P. (*See* Hahn, Yoong, and Rack), 965
RAI, UMA S. (*See* Necheles, Rai, and Cameron), 593
RATNOF, OSCAR D. (*See* Forbes, Pensky, and Ratnoff), 809

XUM

—. (*See* Herzig, Ratnoff, and Shainoff), 451
—. (*See* Moskowitz et al.), 790
REID, ROBERT T. (*See* McMillan et al.), 333
REIMER, CHARLES B., PHILLIPS, DON J., MADDISON, SHIRLEY E., AND SHORE, STEVEN L. Comparative evaluation of commercial precipitating antisera against human IgM and IgG, 949
REISSMANN, KURT R., KODETTHOOR, B. UDUPA, AND OKAMURA, HIROYASHI. Effect of endotoxin on normal and 5-fluorouracil-suppressed hematopoietic stem cells, 652
RETTORI, VALERIA. (*See* Villamil et al.), 383
RICH, CLAYTON. (*See* Nelp et al.), 151
RIVERA-VELEZ, JOSE M. (*See* Koletsky and Rivera-Velez), 54
ROSE, HERBERT G. Familial hyper-pre-beta-lipoproteinemia with observations on the metabolism of endogenous particles, 92
ROSENKRANTZ, HARRIS. (*See* Molinari, Menninger, and Rosenkrantz), 466
ROTH, ELAINE. (*See* MacIntyre et al.), 701
ROVNER, DAVID R. (*See* Lucas et al.), 689
RUDD, THOMAS G. (*See* Nelp et al.), 151

S

SAIDI, PARVIN, AND GURNEY, CLIFFORD. Attenuation of urinary erythropoietin activity under various conditions, 659
ST. GEME, JOSEPH W., JR., BRUMBAUGH, JOSEPHINE L., PAJARI, KAREN L., SINGER, ALLAN D., AND TOYAMA, PATRICIA S. Enhanced viral infection in the mouse treated with 6-mercaptopurine, 213
SAKAMOTO, ARTHUR. (*See* Perry et al.), 114
SALKY, N. K. (*See* Pisano, Di Luzio, and Salky), 141
SANFORD, JAY P. (*See* Southern et al.), 548
SASAKI, YASUHITO, IIO, MASAHIRO, KAMEDA, HARUO, UEDA, HIDEO, AOYAGI, TOSHIO, CHRISTOPHER, NICHOLAS L., BAYLESS, THEODORE M., AND WAGNER, HENRY N., JR. Measurement of ^{14}C-lactose absorption in the diagnosis of lactase deficiency, 824
SASS, MARTIN D., AND CARUSO, CARMINE J. A simple and rapid dye test for glucose-6-phosphate dehydrogenase deficiency for routine use, 523
SASSETTI, RICHARD J. (*See* Knospe et al.), 584
SAUNDERS, TREVANIA. (*See* Chow et al.), 733
SCHENKER, S. (*See* Walker et al.), 569
—. (*See* Whelan et al.), 775
SCHNURE, JOEL J. (*See* Lipman et al.), 221
SCHWARTZ, HOWARD J. (*See* Moskowitz et al.), 790
SCOTT, CAROLYN B. (*See* Omachi, Scott, and Millman), 668
SELF, KARL S. (*See* Herrod et al.), 1
SHAINOFF, JOHN R. (*See* Herzig, Ratnoff, and Shainoff), 451
SHORE, NOMIE A. (*See* Dukes et al.), 439
SHORE, STEVEN L. (*See* Reimer et al.), 949
SILVERSMITH, PETER. (*See* Deykin, Silversmith, and Ashford), 761
SIMPSON, ELBERT F. (*See* Villamil et al.), 383
SINGER, ALLAN D. (*See* St. Geme et al.), 213
SIX, KATHRYN M., AND GOYER, ROBERT A. Experimental enhancement of lead toxicity by low dietary calcium, 933
SKOGLUND, ROY W. (*See* Finne and Skoglund), 103
SLIWINSKI, ANTHONY J., AND ZVAIFLER, NATHAN J. In vivo synthesis of IgG by rheumatoid synovium, 304
SMITH, ELVIN E. (*See* Jones et al.), 163
SMITH, RICHARD S. (*See* McMillan et al.), 333
SOELDNER, J. STUART. (*See* Lowrie et al.), 603
SORENSON, LIEF B. (*See* Chow et al.), 733
SOUTHERN, PAUL M., JR., MAYS, BENITA B., PIERCE, ALAN K., AND SANFORD, JAY P. Pulmonary clearance of *Pseudomonas aeruginosa*, 548
SPEES, WILLIAM. (*See* Hellerstein, Spees, and Surapathana), 10
SPILBERG, ISAIAS, AND OSTERLAND, C. KIRK. Anti-inflammatory effect of the trypsin-kallikrein inhibitor in acute arthritis induced by urate crystals in rabbits, 472
STASTNY, PETER. (*See* Horwitz, Stastny, and Ziff), 391
STEIN, IRA D. Serum lactate dehydrogenase isoenzymes: Stability, clearance, and diagnostic application in hemolytic anemia, 76
STEPHAN, KATHRYN F. (*See* Thind et al.), 560
STEVENS, ROY W. (*See* Newman, Stevens, and Gaafar), 107
STRICKLAND, G. T. (*See* Leu et al.), 432
STRUMIA, MAX M., STRUMIA, PAUL V., AND EUSEBI, ALBERT J. With the technical assistance of TORG, B., DUGAN, A., BURNS, M. E., BENNER, R., AND CHARTOCK, P. The preservation of blood for transfusion. VIII. Effect of adenine and inosine on the adenosine triphosphate and viability of red cells of blood stored at 1° C. for 21 days, 907
STRUMIA, PAUL V. (*See* Strumia, Strumia, and Eusebi), 907
SUKI, W. N. (*See* Eknoyan, Suki, and Martinez-Maldonado), 257
SURAPATHANA, LA-OR. (*See* Hellerstein, Spees, and Surapathana), 10

T

TALBOT, CATHARINE H. (*See* Booth, Patterson, and Talbot), 181
TAN, ENG M. (*See* Perry et al.), 114
THIND, GURDARSHUN S., KARREMAN, GEORGE, STEPHAN, KATHRYN F., AND BLAKEMORE, WILLIAM S. Vascular reactivity and mechanical properties of normal and cadmium-hypertensive rabbits, 560

THOMSON, ALLAN D., BAKER, HERMAN, AND LEEVY, CARROLL M. Patterns of ^{35}S-thiamine hydrochloride absorption in the malnourished alcoholic patient, 34
TOMLINSON, JOHN C. (*See* James et al.), 240
TORG, B. (*See* Strumia, Strumia, and Eusebi), 907
TOYAMA, PATRICIA S. (*See* St. Geme et al.), 213
TROBAUGH, FRANK E. (*See* Knospe et al.), 584
TSE, ROSE L., AND PHELPS, PAULDING. Polymorphonuclear leukocyte motility in vitro. V. Release of chemotactic activity following phagocytosis of calcium pyrophosphate crystals, diamond dust, and urate crystals, 403

U

UEDA, HIDEO. (*See* Sasaki et al.), 824
UITTO, JOUNI. (*See* Lindy et al.), 756

V

VALENTINE, WILLIAM. (*See* Paglia and Valentine), 202
VILLAMIL, MARIO F., RETTORI, VALERIA, SIMPSON, ELBERT F., AND KLEEMAN, CHARLES R. A defect of red blood cell potassium transport in acute myocardial infarction, 383

W

WAGNER, HENRY N., JR. (*See* Sasaki et al.), 824
WALDHAUSL, WERNER-KLAUS. (*See* Lucas et al.), 689
WALKER, C. O., MCCANDLESS, D. W., MCGARRY, J. D., AND SCHENKER, S. Cerebral energy metabolism in short-chain fatty acid-induced coma, 569
WANG, C. C. (*See* Leu et al.), 432
WELLER, JOHN M. (*See* Meengs, Greene, and Weller), 903
WHELAN, GREGORY, HOCH, JANE, SCHENKER, STEVEN, AND COMBES, BURTON. Impaired hepatic disposition of sulfobromophthalein sodium in neonatal guinea pigs: Nature of the defect, 775
WHITEHOUSE, MICHAEL W. (*See* Bluestone et al.), 85
WILLIAMS, JAMES L. (*See* Nelp et al.), 151
WILLIAMS, MICHAEL C. (*See* Bacher and Williams), 485
WILLIAMS, WILLIAM J. (*See* Lau, Cornwell, and Williams), 739

Y

YAKULIS, VINCENT. (*See* Zelkowitz and Yakulis), 973
YEH, S. J. (*See* Leu et al.), 432
YOONG, MATTHIAS. (*See* Hahn, Yoong, and Rack), 965

Z

ZARKOWSKY, HAROLD S., AND NATHAN, DAVID G. Influence of erythrocyte membrane adenosine triphosphatase on the metabolism of hemolysates, 231
ZELKOWITZ, LEO, AND YAKULIS, VINCENT. Immunologic methods for detection and quantification of Bence Jones proteins, 973
ZIFF, MORRIS. (*See* Horwitz, Stastny, and Ziff), 391
ZUCKER, MARJORIE B., AND PETERSON, JANE. Effect of acetylsalicylic acid, other nonsteroidal anti-inflammatory agents, and dipyridamole on human blood platelets, 66
ZUCKER, ROBERT MARTIN. (*See* Oberjat, Zucker, and Cassen), 518
ZVAIFLER, NATHAN J. (*See* Sliwinski and Zvaifler), 204

XUM

Subject index*

A

Absorption, ^{14}C-lactose, in diagnosis of lactase deficiency, measurement of, 824
jejunal, of water and electrolytes in inflammatory bowel disease, 915
Abstracts, Proceedings of Central Society for Clinical Research, 845, 981
Acetyl transferase activity to antinuclear antibodies and toxic symptoms in hypertensive patients treated with hydralazine, relationship of, 114
Acetyled derivatives, and 4,4'-diaminophenyl sulfone, fluorometric measurement of, 338
Acetylsalicylic acid, other nonsteroidal anti-inflammatory agents, and dipyridamole on human blood platelets, effect of, 66
Acid(s), amino, and hormone levels in altered nutritional states, 722
and serum proteins in vitro, binding of zinc to, 416
maleic, on renal cortical Na-K-ATPase activity and ATP levels, experimental Fanconi syndrome. I. Effect of, 799
–induced coma, short-chain fatty, cerebral energy metabolism in, 569
Activation analysis, total body neutron, measurement of total body calcium (bone mass) in vivo with use of, 151
Adenine dinucleotide–linked kinetic assay, reduced nicotinamide, for adenosine deaminase activity, 507
and inosine on adenosine triphosphate and viability of red cells of blood stored at 1° C. for 21 days, preservation of blood for transfusion. VIII. Effect of, 907
Adenosine deaminase activity, reduced nicotinamide adenine dinucleotide–linked kinetic assay for, 507
triphosphate concentration in uremic subjects: Relationship to extracellular phosphate concentration, erythrocyte glycolysis, 2,3-diphosphoglycerate and, 267
levels and Na-K-ATPase activity, renal cortical, experimental Fanconi syndrome. I. Effect of maleic acid on, 799
on metabolism of hemolysates, influence of erythrocyte membrane, 231
and viability of red cells of blood stored at 1° C. for 21 days, preservation of blood for transfusion. VII. Effect of adenine and inosine on, 907
Adsorption methods for measurement of plasma iron-binding capacity, evaluation of, 497
onto dextran-charcoal, chromatoelectrophoresis and, assessment of damage to I^{131}-labeled parathyroid hormone by, 46
Agglutination test, latex, for diagnosis of *Haemophilus influenzae* meningitis, 107
Aging, erythrocyte, evidence for molecular alteration of pyruvate kinase as consequence of, 202
Albumin, human serum, effect of some uricosuric and anti-inflammatory drugs on binding of uric acid to, 85
serum, in diseased human nephron as demonstrated by immunofluorescence, distribution of, 357
Alcoholic patient, malnourished, patterns of ^{35}S-thiamine hydrochloride absorption in, 34
Alkaline earth cations and epinephrine, stimulus-secretion coupling of glucose-induced insulin release. I. Interaction of, 895
Allogenic leukocytes, viability of lymphocytes in stored blood: Response to phytohemagglutinin and, 134
Alteration of filterability after deoxygenation and reoxygenation, and correlation with sickling and unsickling, filtration characteristics of sickle cells: Rates of, 537
molecular, of pyruvate kinase as consequence of erythrocyte aging, evidence for, 202
Amino acid and hormone levels in altered nutritional states, 722
and serum proteins in vitro, binding of zinc to, 416

*July, pp. 1-180; August, pp. 181-356; September, pp. 357-536; October, pp. 537-712; November, pp. 713-894; December, pp. 895-1070.

Amyotrophic lateral sclerosis and other neuromuscular disorders, studies of glucose, insulin, and lipid metabolism in, 190
Analysis, neutron-activation, muscle copper, zinc, and manganese levels in Wilson's disease: Studies with use of, 432
Anaphylactic, cutaneous, and respiratory responses to Ascaris: Immediate-type hypersensitivity in dogs, 181
Anemia, congenital nonspherocytic hemolytic, associated with unusual erythrocyte hexokinase abnormality, 593
hemolytic, stability, clearance, and diagnostic application in: Serum lactate dehydrogenase isoenzymes, 76
sickle cell, renal circulatory studies in young adults with, 632
Angioneurotic edema, hereditary, simple diagnostic test for, 836
Antecedent, activated plasma thromboplastin, and activated Hageman factor, by purified serum CI inactivator, inhibition of, 809
Antibody(ies), antinuclear, and toxic symptoms in hypertensive patients treated with hydralazine, relationship of acetyl transferase activity to, 114
-absorption test, fluorescent treponemal: Micromethod, 962
Anti-inflammatory effect of trypsin-kallikrein inhibitor in acute arthritis induced by urate crystals in rabbits, 472
nonsteroidal agents, dipyridamole, and acetylsalicylic acid, effect of on human blood platelets, 66
and uricosuric drugs on binding of uric acid to human serum albumin in vitro, effect of some, 85
Antinuclear antibodies and toxic symptoms in hypertensive patients treated with hydralazine, relationship of acetyl transferase activity to, 114
Antiphosphaturic and natriuretic effects of triflocin—new diuretic, renal mechanisms of, 280
Antisera, commercial precipitating, against human IgM and IgG, comparative evaluation of, 949
Arcs, specific immunoelectrophoretic precipitin, gel punch templates for identification of, 349
Arthritis, acute, induced by urate crystals in rabbits, anti-inflammatory effect of trypsin-kallikrein inhibitor in, 472
Articular cartilage, human, chondroitin sulfate, heparin, and chitin sulfate: Possible pathophysiologic implications, generation of kinin-like agents by, 790
Ascaris, immediate-type hypersensitivity in dogs: Cutaneous, anaphylactic, and respiratory responses to, 181
Assay, reduced nicotinamide adenine dinucleotide-linked kinetic, for adenosine deaminase activity, 507
method, new, for hypoxanthine-guanine phosphoribosyltransferase, 733
Atrioventricular node and His bundle, selective stimulation, suppression, or blockade of, 240
Automated method, simplified, normal values of red cell, 2,3-diphosphoglycerate by, 171

B

Bacterial endocarditis, rheumatic and nonrheumatic, streptococcal group A carbohydrate antibody in, 322
Bed rest, prolonged, impairment of peripheral glucose utilization in normal subjects by, 221
Bence Jones proteins, immunologic methods for detection and quantification of, 973
Beta chain mutations, globin chain synthesis in heterozygotes for, 616
glucosidase activity in peripheral blood leukocytes, diagnosis of adult type of Gaucher's disease and its carrier state by demonstration of deficiency of, 747
Binding, by competitive protein, measurement of testosterone in male plasma, 530
of uric acid to human serum albumin in vitro, effect of some uricosuric and anti-inflammatory drugs on, 85
zinc to amino acids and serum proteins in vitro, 416
Blockade, selective stimulation, or suppression, of atrioventricular node and His bundle, 240
Blood cell, red, potassium transport in acute myocardial infarction, defect of, 383
flow, skin, in scleroderma, 480
leukocytes, peripheral, diagnosis of adult type of Gaucher's disease and its carrier state by demonstration of deficiency of β-glucosidase activity in, 747
lymphocytes—method of quantitation and effect of phytohemagglutinin, immunoglobulin synthesis by, 333
platelets, human, effect of acetylsalicylic acid, other nonsteroidal and anti-inflammatory agents, and dipyridamole on, 66
stored at 1° C. for 21 days, preservation of blood for transfusion. VIII. Effect of adenine and inosine on adenosine triphosphate and viability of red cells of, 907

XUM

Blood—Cont'd
stored: Response to phytohemagglutinin and to allogenic leukocytes, viability of lymphocytes in, 134
for transfusion. VIII. Effect of adenine and inosine on adenosine triphosphate and viability of red cells of blood stored at 1° C. for 21 days, preservation of, 907
Bone marrow, human, in short-term suspension cultures, mucopolysaccharide synthesis by, 739
(Bone mass) in vivo with use of total body neutron activation analysis, measurement of total body calcium, 151
Bowel disease, inflammatory, jejunal absorption of water and electrolytes in, 915

C

Cadmium-hypertensive and normal rabbits, vascular reactivity and mechanical properties of, 560
Calcium, low dietary, experimental enhancement of lead toxicity by, 933
magnesium, and phosphate, in thyroparathyroidectomized dogs, effect of diuretics on urinary excretion of, 257
pyrophosphate crystals, diamond dust, and urate crystals, polymorphonuclear leukocyte motility in vitro. V. Release of chemotactic activity following phagocytosis of, 403
total body, (bone mass) in vivo with use of total body neutron activation analysis, measurement of, 151
Capillary flow, hemolysis in, 485
Carbohydrate antibody, streptococcal group A, in rheumatic and nonrheumatic bacterial endocarditis, 322
Carbon-14 (^{14}C)-lactose absorption in diagnosis of lactase deficiency, measurement of, 824
Carcinoma, absence of macrophage humoral recognition factor(s) in patients with, 141
Cartilage, human articular, chondroitin sulfate, heparin, and chitin sulfate: Possible pathophysiologic implications, generation of kinin-like agents by, 790
Cation(s) content, erythrocyte, hemoglobin concentration and, 10
alkaline earth, and epinephrine, stimulus-secretion coupling of glucose-induced insulin release. I. Interaction of, 895
Cell(s), erythroid-committed, in absence of erythropoietin, proliferation of, 444
Cell(s)—Cont'd
hematopoietic stem, effect of endotoxin on normal and 5-fluorouracil-suppressed, 652
from irradiation, effect of noncellular spleen-derived factor on recovery of, 584
red blood, potassium transport in acute myocardial infarction, defect of, 383
of blood stored at 1° C. for 21 days, preservation of blood for transfusion. VIII. Effect of adenine and inosine on adenosine triphosphate and viability of, 907
glucose-6-phosphate dehydrogenase deficiency in Pakistan, 943
sickle, anemia, renal circulatory studies in young adults with, 632
Rates of alteration of filterability after deoxygenation and reoxygenation and correlation with sickling and unsickling, filtration characteristics of, 537
Central Society for Clinical Research, Proceedings, Abstracts, 845, 981
Cerebral energy metabolism in short-chain fatty acid–induced coma, 569
Cerebrospinal fluid, human, simple immunologic method for quantitation of immunoglobulin G in, 816
Chemotactic activity following intra-articular injection of monosodium urate crystals: Effect of colchicine, appearance of, 622
phagocytosis of calcium pyrophosphate crystals, diamond dust, and urate crystals, polymorphonuclear leukocyte motility in vitro. V. Release of, 403
Chitin sulfate, human articular cartilage chondroitin sulfate, and heparin: Possible pathophysiologic implications, generation of kinin-like agents by, 790
Chondroitin sulfate, heparin, chitin sulfate, and human articular cartilage: Possible pathophysiologic implications, generation of kinin-like agents by, 790
Chromatoelectrophoresis and adsorption onto dextran-charcoal, assessment of damage to I^{131}-labeled parathyroid hormone, by, 46
Chromatography, thin-layer, determination of urinary purines in hyperuricosuric children by, 163
$C\bar{1}$ inactivator, serum, purified, inhibition of activated Hageman factor and activated plasma thromboplastin antecedent by, 809
Circulatory studies, renal, in young adults with sickle cell anemia, 632
Cirrhosis and diabetes. V. Serum human growth hormone levels in Laennec's cirrhosis, 678

Clearance, peritoneal, of urea and potassium and protein removal during acute peritonitis in dogs, 903
pulmonary, of *Pseudomonas aeruginosa*, 548
Colchicine, appearance of chemotactic activity following intra-articular injection of monosodium urate crystals: Effect of, 622
Coma, cerebral energy metabolism in short-chain fatty–induced, 569
Commercial precipitating antisera against human IgM and IgG, comparative evaluation of, 949
Concentration, 2,3-diphosphoglycerate and adenosine triphosphate, in uremic subjects: Relationship to extracellular phosphate concentration, erythrocyte glycolysis, 267
extracellular phosphate, erythrocyte glycolysis, 2,3-diphosphoglycerate and adenosine triphosphate concentration in uremic subjects: Relationship to, 267
serum iron, zinc, and copper, in man, effect of live attenuated Venezuelan equine encephalomyelitis virus vaccine on, 293
Constants, disappearance, of xenon-133 washout from lung, spatial recording of, 701
Copper, iron, and zinc concentrations, serum, in man, effect of live attenuated Venezuelan equine encephalomyelitis virus vaccine on, 293
zinc, and manganese levels, muscle, in Wilson's disease: Studies with use of neutron-activation analysis, 432
Cortical Na-K-ATPase activity and ATP levels, renal, experimental Fanconi syndrome. I. Effect of maleic acid on, 799
Counts, rapid and reliable differential, on dilute leukocyte suspensions, 518
Coupling, stimulus-secretion, of glucose-induced insulin release. I. Interaction of epinephrine and alkaline earth cations, 895
Crystals, monosodium urate: Effect of colchicine, appearance of chemotactic activity following intra-articular injection of, 622
Cutaneous, anaphylactic, and respiratory responses to Ascaris: Immediate-type hypersensitivity in dogs, 181

D

Deaminase activity, adenosine, reduced nicotinamide adenine dinucleotide–linked kinetic assay for, 507
Dehydrogenase deficiency, red cell glucose-6-phosphate, in Pakistan, 943
Dehydrogenase—Cont'd
glucose-6-phosphate, deficiency for routine use, simple and rapid dye test for, 523
isoenzymes, lactate, during development of experimental fibrosis, 756
lactate, serum, isoenzymes: Stability, clearance, and diagnostic application in hemolytic anemia, 76
Deoxygenation and reoxygenation, and correlation with sickling and unsickling, filtration characteristics of sickle cells: Rates of alteration of filterability after, 537
Deoxyribonucleic acid-synthesizing, circulating, mononuclear luekocytes. I. Increased numbers of proliferating mononuclear leukocytes in inflammatory disease, 391
Dextran-charcoal, adsorption onto, and chromatoelectrophoresis, assessment of damage to I^{131}-labeled parathyroid hormone by, 46
Diabetes and cirrhosis. V. Serum human growth hormone levels in Laennec's cirrhosis, 678
4,4′-Diaminophenyl sulfone and its acetylated derivatives in plasma and urine, fluorometric measurement of, 338
Diamond dust, urate crystals, and calcium pyrophosphate crystals, polymorphonuclear leukocyte motility in vitro. V. Release of chemotactic activity following phagocytosis of, 403
Dietary clacium, low, experimental enhancement of lead toxicity by, 933
Differential counts, rapid and reliable, on dilute leukocyte suspensions, 518
Dilute leukocyte suspensions, rapid and reliable differential counts on, 518
Dinucleotide, reduced nicotinamide adenine, linked, kinetic assay for adenosine deaminase activity, 507
2,3-Diphosphoglycerate and adenosine triphosphate concentration in uremic subjects: Relationship to extracellular phosphate concentration, erythrocyte glycolysis, 267
red cell, by simplified automated method, normal values of, 171
Dipyridamole, acetylsalicylic acid, and other nonsteroidal, anti-inflammatory agents, effect of on human blood platelets, 66
Disposition, impaired hepatic, of sulfobromophthalein sodium in neonatal guinea pigs: Nature of defect, 775
Diuretic(s), new, renal mechanisms of natriuretic and phosphaturic effects of triflocin, 280
on urinary excretion of phosphate, calcium, and magnesium in thyroparathyroidectomized dogs, effect of, 257

XUM

Dye test, simple and rapid, for glucose-6-phosphate dehydrogenase deficiency for routine use, 523

E

Edema, hereditary angioneurotic, simple diagnostic test for, 836
Electrolytes and water in inflammatory bowel disease, jejunal absorption of, 915
Endocarditis, rheumatic and nonrheumatic bacterial, streptococcal group A carbohydrate antibody in, 322
Endogenous particles, metabolism of, familial hyper-pre-betalipoproteinemia with observations on, 92
Endotoxin on normal and 5-fluorouracil-suppressed hematopoietic stem cells, effect of, 652
Energy metabolism, cerebral, in short-chain fatty acid–induced coma, 569
Epinephrine and alkaline earth cations, stimulus-secretion coupling of glucose-induced insulin release. I. Interaction of, 895
Equine encephalomyelitis virus vaccine, live attenuated Venezuelan, on serum iron, zinc, and copper concentrations in man, effect of, 293
Erythrocyte(s) aging, evidence for molecular alteration of pyruvate kinase as consequence of, 202
  cation content, hemoglobin concentration and, 10
  glucose consumption in neonate, 311
  glycolysis 2,3-diphosphoglycerate and adenosine triphosphate concentration in uremic subjects: Relationship to extracellular phosphate concentration, 267
  hexokinase abnormality, congenital nonspherocytic hemolytic anemia associated with unusual, 593
  human, incubated in vitro, influence of prior storage on pyridine nucleotide metabolism of, 668
  membrane adenosine triphosphatase on metabolism of hemolysates, influence of, 231
Erythroid-committed cells in absence of erythropoietin, proliferation of, 444
Erythropoietin: Complex with different in vivo and in vitro activities, 439
  production in rat following splanchnic neurectomy, 103
  proliferation of erythroid-committed cells in absence of, 444
  urinary, activity under various conditions, attenuation of, 659
Excretion, urinary, of phosphate, calcium, and magnesium in thyroparathyroidectomized dogs, effect of diuretics on, 257
Extracellular phosphate concentration, erythrocyte glycolysis, 2,3-diphosphoglycerate and adenosine triphosphate concentration in uremic subjects: Relationship to, 267

F

Factor, activated Hageman, and activated plasma thromboplastin antecedent by purified serum C1 inactivator, inhibition of, 809
Fanconi syndrome, experimental. I. Effect of maleic acid on renal cortical Na-K-ATPase activity and ATP levels, 799
Fibrin formation, serum-induced defect in, 761
Fibrinopeptide, studies on procoagulant fraction of southern copperhead snake venom: Preferential release of, 451
Fibrosis, experimental, lactate dehydrogenase isoenzymes during development of, 756
Filterability after deoxygenation and reoxygenation, and correlation with sickling and unsickling, filtration characteristics of sickle cells: Rates of alteration of, 537
Filtration characteristics of sickle cells: Rates of alteration of filterability after deoxygenation and reoxygenation, and correlation with sickling and unsickling, 537
Fluorescent treponemal antibody-absorption test: Micromethod, 961
  pressure, glomerular, renal response to ureteral obstruction: Model for study of factors which influence, 373
Fluorometric measurement of 4,4′-diaminophenyl sulfone and its acetylated derivatives in plasma and urine, 338
5-Fluorouracil-suppressed hematopoietic stem cells, effect of endotoxin on normal and, 652

G

Gaucher's disease, adult type, and its carrier state by demonstration of deficiency of β-glucosidase activity in peripheral blood leukocytes, diagnosis of, 747
Gel punch templates for identification of specific immunoelectrophoretic precipitin arcs, 349
Globin chain synthesis in heterozygotes for beta chain mutations, 616
Glomerular filtration pressure, renal response to ureteral obstruction: Model for study of factors which influence, 373

Glucose, erythrocyte, consumption in neonate, 311
-induced insulin release. I. Interaction of epinephrine and alkaline earth cations, stimulus-secretion coupling of, 895
insulin, and lipid metabolism in amyotrophic lateral sclerosis and other neuromuscular disorders, studies of, 190
metabolism and insulin secretion in uremic, prediabetic, and normal subjects, 603
-6-phosphate dehydrogenase deficiency for routine use, simple and rapid dye test for, 523
red cell, deficiency in Pakistan, 943
utilization, peripheral, in normal subjects by prolonged bed rest, impairment of, 221
Glycolysis, erythrocyte, 2,3-diphosphoglycerate and adenosine triphosphate concentration in uremic subjects: Relationship to extracellular phosphate concentration, 267
Gonadal, pituitary, and thyroidal functions, persistent effects of perinatal hypothyroidism on, 25
Group A, streptococcal, carbohydrate antibody in rheumatic and nonrheumatic bacterial endocarditis, 322
Growth hormone levels, serum human, in Laennec's cirrhosis, cirrhosis and diabetes. V., 678
Guanine, hypoxanthine-, phosphoribosyltransferase, new assay method for, 733

H

Haemophilus influenzae meningitis, latex agglutination test for diagnosis of, 107
Hageman factor, activated, and activated plasma thromboplastin antecedent by purified serum $C\bar{1}$ inactivator, inhibition of, 809
Hematopoietic stem cells, normal and 5-fluorouracil-suppressed, effect of endotoxin on, 652
from irradiation, effect of noncellular spleen-derived factor on recovery of, 584
Heme-hemopexin complex in rabbit and rat as studied by light microscopy with use of radioisotopes, tissue localization of, 426
Hemoglobin concentration and erythrocyte cation content, 10
synthesis in rat plasma, detection of inhibitor of, 466
Hemolysates, influence of erythrocyte membrane adenosine triphosphatase on metabolism of, 231
Hemolysis in capillary flow, 485
Hemolytic anemia, congenital nonspherocytic, associated with unusual erythrocyte hexokinase abnormality, 593
stability, clearance, and diagnostic application in: Serum lactate dehydrogenase isoenzymes, 76
Heparin, chitin sulfate, human articular cartilage, and chondroitin sulfate: Possible pathophysiologic implications, generation of kinin-like agents by, 790
Hepatic disposition, impaired, of sulfobromphthalein sodium in neonatal guinea pigs: Nature of defect, 775
Hereditary angioneurotic edema, simple diagnostic test for, 836
Heterozygotes for beta chain mutations, globin chain synthesis in, 616
Hexokinase abnormality, unusual erythrocyte, congenital nonspherocytic hemolytic anemia associated with, 593
His bundle and atrioventricular node, selective stimulation, suppression, or blockade of, 240
Hormone and amino acid levels in altered nutritional states, 722
I^{131}-labeled parathyroid, assessment of damage to, by chromatoelectrophoresis and adsorption onto dextran-charcoal, 46
Humoral recognition factor(s), macrophage, in patients with carcinoma, absence of, 141
Hydralazine, relationship of acetyl transferase activity to antinuclear antibodies and toxic symptoms in hypertensive patients treated with, 114
Hyper-pre-betalipoproteinemia, familial, with observations on metabolism of endogenous particles, 92
Hypersensitivity, immediate-type, in dogs: Cutaneous, anaphylactic, and respiratory responses to Ascaris, 181
Hypertension, renal, experimental, factors determining success or failure of nephrectomy in, 54
Hypertensive, cadmium-, and normal rabbits, vascular reactivity and mechanical properties of, 560
patients treated with hydralazine, relationship of acetyl transferase activity to antinuclear antibodies and toxic symptoms in, 114
Hyperuricosuric children by thin-layer chromatography, determination of urinary purines in, 163
Hypothyroidism, perinatal, on pituitary, thyroidal, and gonadal functions, persistent effects of, 25
Hypoxanthine-guanine phosphoribosyltransferase, new assay method for, 733

XUM

I

Immunoelectrophoretic precipitin arcs, specific, gel punch templates for identification of, 349
Immunofluorescence, distribution of serum albumin in diseased human nephron as demonstrated by, 357
Immunoglobulin G in human cerebrospinal fluid, simple immunologic method for quantitation of, 816
and IgM, human, comparative evaluation of commercial precipitating antisera against, 949
synthesis, suppression of, in young rabbits by 6-methyl mercaptopurine treatment, 1
by rheumatoid synovium, in vivo synthesis of, 304
M and IgG, human, comparative evaluation of commercial precipitating antisera against, 949
synthesis, suppression of, in young rabbits by 6-methyl mercaptopurine treatment, 1
synthesis by blood lymphocytes—method of quantitation and effect of phytohemagglutinin, 333
Immunologic method(s) for detection and quantification of Bence Jones proteins, 973
simple, for quantitation of immunoglobulin G in human cerebrospinal fluid, 816
Inactivator, purified serum $C\bar{1}$, inhibition of activated Hageman factor and activated plasma thromboplastin antecedent by, 809
Infarction, acute myocardial, defect of red blood cell potassium transport in, 383
Infection, viral, enhanced, in mouse treated with 6-mercaptopurine, 213
Inflammatory bowel disease, jejunal absorption of water and electrolytes in, 915
disease, circulating deoxyribonucleic acid–synthesizing mononuclear leukocytes. I. Increased numbers of proliferating mononuclear leukocytes in, 391
Infusion, intra-arterial, of tumor-bearing mice, technique for, 175
Inhibition of activated Hageman factor and activated plasma thromboplastin antecedent by purified serum $C\bar{1}$ inactivator, 809
Inhibitor of hemoglobin synthesis in rat plasma, detection of, 466
trypsin-kallikrein, in acute arthritis induced by urate crystals in rabbits, anti-inflammatory effect of, 472
Inosine and adenine on adenosine triphosphate and viability of red cells of blood stored at 1° C. for 21 days, preservation of blood for transfusion. VIII. Effect of, 907
Insulin, glucose, and lipid metabolism in amyotrophic lateral sclerosis and other neuromuscular disorders, studies of, 190
release, glucose-induced. I. Interaction of epinephrine and alkaline earth cations, stimulus-secretion coupling of, 895
secretion and glucose metabolism in uremic, prediabetic, and normal subjects, 603
Intra-arterial infusion of tumor-bearing mice, technique for, 175
Intra-articular injection of monosodium urate crystals: Effect of colchicine, appearance of chemotactic activity following, 622
Iodine-131 (I^{131})-labeled parathyroid hormone, assessment of damage to, by chromatoelectrophoresis and adsorption onto dextran-charcoal, 46
Iron-binding capacity, plasma, evaluation of adsorption methods for measurement of, 497
zinc, and copper, concentrations, serum, in man, effect of live attenuated Venezuelan equine encephalomyelitis virus vaccine on, 293
Irradiation, effect of noncellular spleen-derived factor on recovery of hematopoietic stem cells from, 584
Isoenzymes, lactate dehydrogenase, during development of experimental fibrosis, 756
serum lactate dehydrogenase: Stability, clearance, and diagnostic application in hemolytic anemia, 76

J

Jejunal absorption of water and electrolytes in inflammatory bowel disease, 915

K

Kallikrein, trypsin-, inhibitor in acute arthritis induced by urate crystals in rabbits, anti-inflammatory effect of, 472
Kinase, pyruvate, as consequence of erythrocyte aging, evidence for molecular alteration of, 202
Kinetic assay, reduced nicotinamide adenine–dinucleotide linked, for adenosine deaminase activity, 507
Kinin-like agents by chondroitin sulfate, heparin, chitin sulfate, and human articular cartilage: Possible pathophysiologic implications, generation of, 790

L

Lactase deficiency, measurement of ^{14}C-lactose absorption in diagnosis of, 824

Lactate dehydrogenase isoenzymes during development of experimental fibrosis, 756
serum, isoenzymes: Stability, clearance, and diagnostic application in hemolytic anemia, 76
Laennec's cirrhosis, cirrhosis and diabetes. V. Serum human growth hormone levels in, 678
Latex agglutination test for diagnosis of *Haemophilus influenzae* meningitis, 107
Lead toxicity by low dietary calcium, experimental enhancement of, 933
Leukocyte(s), allogenic, viability of lymphocytes in stored blood: Response to phytohemagglutinin and, 134
circulating deoxyribonucleic acid–synthesizing mononuclear. I. Increased numbers of proliferating mononuclear leukocytes in inflammatory disease, 391
peripheral blood, diagnosis of adult type of Gaucher's disease and its carrier state by demonstration of deficiency of β-glucosidase activity in, 747
polymorphonuclear, motility in vitro. V. Release of chemotactic activity following phagocytosis of calcium pyrophosphate crystals, diamond dust, and urate crystals, 403
proliferating mononuclear, in inflammatory disease, circulating deoxyribonucleic acid-synthesizing mononuclear leukocytes. I. Increased numbers of, 391
suspensions, dilute, rapid and reliable differential counts on, 518
Light microscopy with use of radioisotopes, tissue localization of heme-hemopexin complex in rabbit and rat as studied by, 426
Lipid metabolism, glucose, and insulin in amyotrophic lateral sclerosis and other neuromuscular disorders, studies of, 190
Lipoproteins, very low intensity plasma, distribution of triglyceride in subclasses of, 925
Localization, tissue, of heme-hemopexin complex in rabbit and rat as studied by light microscopy with use of radioisotopes, 426
Lung, spatial recording of disappearance constants of xenon-133 washout from, 701
Lymphocytes in stored blood: Response to phytohemagglutinin and to allogenic leukocytes, viability of, 134

M

Macrophage humoral recognition factor(s) in patients with carcinoma, absence of, 141
Magnesium, phosphate, and calcium, in thyroparathyroidectomized dogs, effect of diuretics on urinary excretion of, 257
Maleic acid on renal cortical Na-K-ATPase activity and ATP levels, experimental Fanconi syndrome. I. Effect of, 799
Malnourished alcoholic patient, patterns of ^{35}S-thiamine hydrochloride absorption in, 34
Manganese, copper, and zinc levels, muscle, in Wilson's disease: Studies with use of neutron-activation analysis, 432
Marrow, human bone, in short-term suspension cultures, mucopolysaccharide synthesis by, 739
Medulla, renal, as antihypertensive organ, 641
Membrane, erythrocyte, adenosine triphosphatase on metabolism of hemolysates, influence of, 231
Meningitis, *Haemophilus influenzae*, latex agglutination test for diagnosis of, 107
6-Mercaptopurine, enhanced viral infection in mouse treated with, 213
Metabolism, cerebral energy, in short-chain fatty acid-induced coma, 569
glucose, and insulin secretion in uremic, prediabetic, and normal subjects, 603
of endogenous particles, familial hyper–pre-betalipoproteinemia with observations on, 92
hemolysates, influence of erythrocyte membrane adenosine triphosphatase on, 231
pyridine nucleotide, of human erythrocytes incubated in vitro, influence of prior storage on, 668
Methyl (6-) mercaptopurine treatment, suppression of IgM and IgG synthesis in young rabbits by, 1
Micromethod, fluorescent treponemal antibody-absorption test, 961
Microscopy, light, with use of radioisotopes, tissue localization of heme-hemopexin complex in rabbit and rat as studied by, 426
Molecular alteration of pyruvate kinase as a consequence of erythrocyte aging, evidence for, 202
Mononuclear leukocytes, circulating deoxyribonucleic acid-synthesizing. I. Increased numbers of proliferating mononuclear leukocytes in inflammatory disease, 391
in inflammatory disease, proliferating, circulating deoxyribonucleic acid –synthesizing mononuclear leukocytes. I. Increased numbers of, 391
Monosodium urate crystals: Effect of colchicine, appearance of chemotactic activity following intra-articular injection of, 622

XUM

Motility in vitro. V. Release of chemotactic activity following phagocytosis of calcium pyrophosphate crystals, diamond dust, and urate crystals, polymorphonuclear leukocyte, 403
Mucopolysaccharide synthesis by human bone marrow in short-term suspension cultures, 739
Muscle copper, zinc, and manganese levels in Wilson's disease: Studies with use of neutron-activation analysis, 432
Mutations, beta chain, globin chain synthesis in heterozygotes for, 616
Myocardial infarction, acute, defect of red blood cell potassium transport in, 383

N

Na-K-ATPase activity and ATP levels, renal cortical, experimental Fanconi syndrome. I. Effect of maleic acid on, 799
Natriuretic and antiphosphaturic effects of triflocin—new diuretic, renal mechanisms of, 280
Neonatal guinea pigs: Nature of defect, impaired hepatic disposition of sulfobromophthalein sodium in, 775
Neonate, erythrocyte glucose consumption in, 311
Nephrectomy in experimental renal hypertension, factors determining success or failure of, 54
Nephron, diseased human, as demonstrated by immunofluorescence, distribution of serum albumin in, 357
Neurectomy, splanchnic, erythropoietin production in rat following, 103
Neuromuscular disorders, other, studies of glucose, insulin, and lipid metabolism in amyotrophic lateral sclerosis and, 190
Neutron-activation analysis, muscle copper, zinc, and manganese levels in Wilson's disease: Studies with use of, 432
  total body, measurement of total body calcium (bone mass) in vivo with use of, 151
Nicotinamide adenine dinucleotide-linked kinetic assay, reduced, for adenosine deaminase activity, 507
Node, atrioventricular, and His bundle, selective stimulation, suppression, or blockade of, 240
Noncellular spleen-derived factor on recovery of hematopoietic stem cells from irradiation, effect of, 584
Nonrheumatic, and rheumatic, bacterial endocarditis, streptococcal group A carbohydrate antibody in, 322
Nonspherocytic hemolytic anemia, congenital, associated with unusual erythrocyte hexokinase abnormality, 593
Nonsteroidal, anti-inflammatory agents, dipyridamole, and acetylsalicylic acid on human blood platelets, effect of, 66
Nucleotide metabolism, pyridine, of human erythrocytes incubated in vitro, influence of prior storage on, 668
Nutritional states, altered, hormone and amino acid levels in, 722

P

Pakistan, red cell glucose-6-phosphate dehydrogenase deficiency in, 943
Parathyroid hormone, I^{131}-labeled, assessment of damage to, by chromatoelectrophoresis and adsorption onto dextran-charcoal, 46
Pathophysiologic implications, possible: Generation of kinin-like agents by chondroitin sulfate, heparin, chitin sulfate, and human articular cartilage, 790
Perinatal hypothyroidism on pituitary, thyroidal, and gonadal functions, persistent effects of, 25
Peritoneal clearance of urea and potassium and protein removal during acute peritonitis in dogs, 903
Peritonitis, acute, in dogs, peritoneal clearance of urea and potassium and protein removal during, 903
Phagocytosis of calcium pyrophosphate crystals, diamond dust, and urate crystals, polymorphonuclear leukocyte motility in vitro. V. Release of chemotactic activity following, 403
Phosphate, calcium, and magnesium in thyroparathyroidectomized dogs, effect of diuretics on urinary excretion of, 257
  concentration, extracellular, erythrocyte glycolysis, 2,3-diphosphoglycerate and adenosine triphosphate concentration in uremic subjects: Relationship to, 267
Phosphoribosyltransferase, hypoxanthineguanine, new assay method for, 733
Phytohemagglutinin and allogenic leukocytes, viability of lymphocytes in stored blood: Response to, 134
  immunoglobulin synthesis by blood lymphocytes—method of quantitation and effect of, 333
Pituitary, thyroidal, and gonadal functions, persistent effects of perinatal hypothyroidism on, 25
Plasma iron-binding capacity, evaluation of adsorption methods for measurement of, 497
  lipoproteins, very low intensity, distribution of triglyceride in subclasses of, 925
  male, by competitive protein binding, measurement of testosterone in, 530

Plasma—Cont'd
rat, detection of inhibitor of hemoglobin synthesis in, 466
thromboplastin antecedent, activated, and activated Hageman factor, by purified serum $C\bar{1}$ inactivator, inhibition of, 809
and urine, fluorometric measurement of 4,4'-diaminophenyl sulfone and its acetylated derivatives in, 338
Platelets, human blood, effect of acetylsalicylic acid, other nonsteroidal and anti-inflammatory agents, and dipyridamole on, 66
Polymorphonuclear leukocyte motility in vitro. V. Release of chemotactic activity following phagocytosis of calcium pyrophosphate crystals, diamond dust, and urate crystals, 403
Potassium transport in acute myocardial infarction, defect of red blood cell, 383
and urea and protein removal during acute peritonitis in dogs, peritoneal clearance of, 903
Precipitating antisera, commercial, against human IgM and IgG, comparative evaluation of, 949
Precipitin arcs, specific immunoelectrophoretic, gel punch templates for identification of, 349
Prediabetic, uremic, and normal subjects, glucose metabolism and insulin secretion in, 603
Proceedings of Central Society for Clinical Research, Abstracts, 845, 981
Procoagulant fraction of southern copperhead snake venom: Preferential release of fibrinopeptide, studies on, 451
Proliferation of erythroid-committed cells in absence of erythropoietin, 444
Protein(s), Bence Jones, immunologic methods for detection and quantification of, 973
binding, competitive, measurement of testosterone in male plasma by, 530
removal during acute peritonitis in dogs, peritoneal clearance of urea and potassium and, 903
serum, in vitro, binding of zinc to amino acids and, 416
and tissue, radiometric analysis of, 965
Pseudomonas aeruginosa, pulmonary clearance of, 548
Pulmonary clearance of *Pseudomonas aeruginosa*, 548
Purines, urinary, in hyperuricosuric children by thin-layer chromatography, determination of, 163
Pyridine nucleotide metabolism of human erythrocytes incubated in vitro, influence of prior storage on, 668
Pyrophosphate crystals, calcium, diamond dust, and urate crystals, polymorphonuclear leukocyte motility in vitro. V. Release of chemotactic activity following phagocytosis of, 403
Pyruvate kinase as consequence of erythrocyte aging, evidence for molecular alteration of, 202

R

Radioisotopes, tissue localization of heme-hemopexin complex in rabbit and rat as studied by light microscopy with use of, 426
Radiometric analysis of serum and tissue proteins, 965
Reactivity, vascular, and mechanical properties of normal and cadmium-hypertensive rabbits, 560
Recognition factor(s), macrophage humoral, in patients with carcinoma, absence of, 141
Red blood cell potassium transport in acute myocardial infarction, defect of, 383
cell(s) 2,3-diphosphoglycerate by simplified automated method, normal values of, 171
of blood stored at 1° C. for 21 days, preservation of blood for transfusion. VIII. Effect of adenine and inosine on adenosine triphosphate and viability of, 907
glucose-6-phosphate dehydrogenase deficiency in Pakistan, 943
Release, preferential, of fibrinopeptide, studies on procoagulant fraction of southern copperhead snake venom, 451
Renal circulatory studies in young adults with sickle cell anemia, 632
cortical Na-K-ATPase activity and ATP levels, experimental Fanconi syndrome. I. Effect of maleic acid on, 799
hypertension, experimental, factors determining success or failure of nephrectomy in, 54
mechanisms of natriuretic and antiphosphaturic effects of triflocin—new diuretic, 280
medulla as antihypertensive organ, 641
response to ureteral obstruction: Model for study of factors which influence glomerular filtration pressure, 373
Renin, human, purification of, 689
Reoxygenation and deoxygenation, and correlation with sickling and unsickling, filtration characteristics of sickle cells: Rates of alteration of filterability after, 537

XUM

Respiratory responses, cutaneous, and anaphylactic, to Ascaris: Immediate-type hypersensitivity in dogs, 181
Rheumatic and nonrheumatic bacterial endocarditis, streptococcal group A carbohydrate antibody in, 322
Rheumatoid synovium, in vivo synthesis of IgG by, 304

S

Scleroderma, skin blood flow in, 480
Sclerosis, amyotrophic lateral, and other neuromuscular disorders, studies of glucose, insulin, and lipid metabolism in, 190
Serum albumin, human, effect of some uricosuric and anti-inflammatory drugs on binding of uric acid to, 85
in diseased human nephron as demonstrated by immunofluorescence, distribution of, 357
$\bar{C}1$ inactivator, purified, inhibition of activated Hageman factor and activated plasma thromboplastin antecedent by, 809
human growth hormone levels in Laennec's cirrhosis, cirrhosis and diabetes. V., 678
-induced defect in fibrin formation, 761
iron, zinc, and copper concentrations in man, effect of live attenuated Venezuelan equine encephalomyelitis virus vaccine on, 293
lactate dehydrogenase isoenzymes: Stability, clearance, and diagnostic application in hemolytic anemia, 76
proteins in vitro, binding of zinc to amino acids and, 416
and tissue proteins, radiometric analysis of, 965
Sickle cell(s) anemia, renal circulatory studies in young adults with, 632
Rates of alteration of filterability after deoxygenation and reoxygenation, and correlation with sickling and unsickling, filtration characteristics of, 537
Sickling and unsickling, filtration characteristics of sickle cells: Rates of alteration of filterability after deoxygenation and reoxygenation, and correlation with, 537
Skin blood flow in scleroderma, 480
Sodium etidronate in adult cats, effect of, 126
sulfobromophthalein, in neonatal guinea pigs: Nature of defect, impaired hepatic disposition of, 775
Snake venom, southern copperhead: Preferential release of fibrinopeptide, studies on procoagulant fraction of, 451
Spatial recording of disappearance constants of xenon-133 washout from lung, 701
Splanchnic neurectomy, erythropoietin production in rat following, 103
Spleen-derived factor, noncellular, on recovery of hematopoietic stem cells from irradiation, effect of, 584
Stem cells, hematopoietic, effect of endotoxin on normal and 5-fluorouracil-suppressed, 652
from irradiation, effect of noncellular spleen-derived factor on recovery of, 584
^{35}S-thiamine hydrochloride absorption in malnourished alcoholic patient, patterns of, 34
Stimulation, selective, suppression, or blockade of atrioventricular node and His bundle, 240
Stimulus-secretion coupling of glucose-induced insulin release. I. Interaction of epinephrine and alkaline earth cations, 895
Storage, prior, on pyridine nucleotide metabolism of human erythrocytes incubated in vitro, influence of, 668
Streptococcal group A carbohydrate antibody in rheumatic and nonrheumatic bacterial endocarditis, 322
Sulfate, chitin, human articular cartilage, chondroitin sulfate, and heparin: Possible pathophysiologic implications, generation of kinin-like agents by, 790
chondroitin, heparin, chitin sulfate, and human articular cartilage: Possible pathophysiologic implications, generation of kinin-like agents by, 790
Sulfobromophthalein sodium in neonatal guinea pigs: Nature of defect, impaired hepatic disposition of, 775
Sulfone, 4,4′-diaminophenyl and its acetylated derivatives in plasma and urine, fluorometric measurement of, 338
Suppression, blockade, or selective stimulation, of atrioventricular node and His bundle, 240
of IgM and IgG synthesis in young rabbits by 6-methyl mercaptopurine treatment, 1
Suspension(s) cultures, short-term, mucopolysaccharide synthesis by human bone marrow in, 739
dilute leukocyte, rapid and reliable differential counts on, 518
Synovium, rheumatoid, in vivo synthesis of IgG by, 304
Synthesis, globin chain, in heterozygotes for beta chain mutations, 616
hemoglobin, in rat plasma, detection of inhibitor of, 466
immunoglobulin, by blood lymphocytes—method of quantitation and effect of phytohemagglutinin, 333
of IgG by rheumatoid synovium, in vivo, 304
IgM and IgG, in young rabbits by 6-methyl mercaptopurine treatment, supression of, 1

Synthesis—Cont'd
mucopolysaccharide, by human bone marrow in short-term suspension cultures, 739
Synthesizing, circulating deoxyribonucleic acid, mononuclear leukocytes. I. Increased numbers of proliferating mononuclear leukocytes in inflammatory disease, 391

T

Templates, gel punch, for identification of specific immunoelectrophoretic precipitin arcs, 349
Testosterone in male plasma by competitive protein binding, measurement of, 530
Thromboplastin antecedent, activated plasma, and activated Hageman factor, by purified serum $C\overline{1}$ inactivator, inhibition of, 809
Thyroidal, pituitary, and gonadal functions, persistent effects of perinatal hypothyroidism on, 25
Thyroparathyroidectomized dogs, effect of diuretics on urinary excretion of phosphate, calcium, and magnesium in, 257
Tissue localization of heme-hemopexin complex in rabbit and rat as studied by light microscopy with use of radioisotopes, 426
and serum proteins, radiometric analysis of, 965
Toxic symptoms, and antinuclear antibodies, in hypertensive patients treated with hydralazine, relationship of acetyl transferase activity to, 114
Toxicity, lead, by low dietary calcium, experimental enhancement of, 933
Transfusion. VIII. Effect of adenine and inosine on adenosine triphosphate and viability of red cells of blood stored at 1° C. for 21 days, preservation of blood for, 907
Transport, red blood cell potassium, in acute myocardial infarction, defect of, 383
Treponemal antibody-absorption test, fluorescent: Micromethod, 961
Triflocin—new diuretic, renal mechanisms of natriuretic and phosphaturic effects of, 280
Triglyceride in subclasses of very low intensity plasma lipoproteins, distribution of, 925
Trypsin-kallikrein inhibitor in acute arthritis induced by urate crystals in rabbits, anti-inflammatory effect of, 472
Tumor-bearing mice, technique for intra-arterial infusion of, 175

U

Unsickling and sickling, filtration characteristics of sickle cells: Rates of alteration of filterability after deoxygenation and reoxygenation, and correlation with, 537
Urate crystals, calcium pyrophosphate crystals, and diamond dust, polymorphonuclear leukocyte motility in vitro. V. Release of chemotactic activity following phagocytosis of, 403
in rabbits, anti-inflammatory effect of trypsin-kallikrein inhibitor in acute arthritis induced by, 472
Urea and potassium and protein removal during acute peritonitis in dogs, peritoneal clearance of, 903
Uremic subjects: Relationship to extracellular phosphate concentration, erythrocyte glycolysis, 2,3-diphosphoglycerate and adenosine triphosphate concentration in, 267
prediabetic, and normal subjects, glucose metabolism and insulin secretion in, 603
Ureteral obstruction: Model for study of factors which influence glomerular filtration pressure, renal response to, 373
Uric acid, binding of, to human serum albumin, effect of some uricosuric and anti-inflammatory drugs on, 85
Uricosuric and anti-inflammatory drugs on binding of uric acid to human serum albumin in vitro, effect of some, 85
Urinary erythropoietin activity under various conditions, attenuation of, 659
excretion of phosphate, calcium, and magnesium in thyroparathyroidectomized dogs, effect of diuretics on, 257
purines in hyperuricosuric children by thin-layer chromatography, determination of, 163
Urine and plasma, fluorometric measurement of 4,4′-diaminophenyl sulfone and its acetylated derivatives in, 338

V

Vaccine, live attenuated Venezuelan equine encephalomyelitis virus, on serum iron, zinc, and copper concentrations in man, effect of, 293
Vascular reactivity and mechanical properties of normal and cadmium-hypertensive rabbits, 560
Venezuelan equine encephalomyelitis virus vaccine, live attenuated, on serum iron, zinc, and copper concentrations in man, effect of, 293
Venom, southern copperhead snake: Preferential release of fibrinopeptide, studies on procoagulant fraction of, 451
Viral infection, enhanced, in mouse treated with 6-mercaptopurine, 213
Virus vaccine, live attenuated Venezuelan equine encephalomyelitis, on serum iron, zinc, and copper concentrations in man, effect of, 293

W

von Willebrand's disease, canine, 713
Wilson's disease: Studies with use of neutron-activation analysis, muscle copper, zinc, and manganese levels in, 432

X

Zenon-133 washout from lung, spatial recording of disappearance constants of, 701

Z

Zinc to amino acids and serum proteins in vitro, binding of, 416
copper, and iron concentrations, serum, in man, effect of live attenuated Venezuelan equine encephalomyelitis virus vaccine on, 293
manganese, and copper levels, muscle, in Wilson's disease: Studies with use of neutron-activation analysis, 432

XUM